

OF THE

A T F - 9 6

IDENTIFICATION NUMBER

COMMANDED BY

Attached to { _____ Division,
 _____ Squadron,
 _____ Flotilla,
 U . S . P A C I F I C _____ Fleet,
 _____ Naval District,

Commencing 0001 1 November, 1962,
(zone time and date)

at PEARL HARBOR, HAWAII
(location)

and ending 2400 30 November, 1962,
(zone time and date)

at PEARL HARBOR, HAWAII
(location)

NAVY—PEARL HARBOR, T. H.



DECK LOG BOOK

OF THE

U.S.S.

U.S.N.

Division

Station

Hours

Remarks

Weather

Sea

Wind

Current

Drift

Direction

Force

Speed

Course

Position

Time

Date

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP _____ (Day) (Date) (Month) , 19____

APPROVED:

EXAMINED:

U.S.N. COMMANDING

U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +10 DATE THURSDAY 1 NOV. 19 62
(Day) (Date) (Month)
AT/PASSAGE FROM PEARL HARBOR, HAWAII TO JOHNSTON ISLAND

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISI- BIL- ITY (Miles)	WEATH- ER (Sym- bols)	BAROM- ETER (Inches)	TEMPER- ATURE		CLOUDS			SEA WATER TEMPER- ATURE	WAVES	
	DIREC- TION (True)	SPEED (knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIREC- TION (True)	HEIGHT (Feet)
01	045	8	6	SET	29.96	77	73	2	1400	SC	82	085	4
02	045	9	6	SET	29.95	77	73	2	1400	SC	82	090	4
03	050	10	6	SET	29.94	77	74	2	1050	SC	82	090	4
04	045	10	6	SET	29.93	77	74	2	1050	CU	82	090	3
05	045	11	6	SET	29.93	77	73	2	1400	CU	82	085	3
06	050	11	7	SET	29.94	77	73	2	1400	CU	82	085	3
07	045	10	7	SET	29.95	78	74	2	1400	CU	82	085	3
08	040	10	7	SET	29.95	83	78	2	1750	CU	82	085	3
09	045	11	7	SET	29.96	85	78	2	2450	CU	84	085	3
10	040	10	7	SET	29.96	87	79	2	2800	CU	84	090	3
11	040	10	7	SET	29.95	87	78	2	3150	CU	85	090	3
12	045	9	7	SET	29.94	87	78	2	3150	CU	85	090	3
13	050	8	7	SET	29.93	86	77	3	3150	CU	85	090	3
14	050	8	7	SET	29.90	85	77	3	2800	CU	85	090	3
15	055	6	7	SET	29.88	84	77	3	2450	CU	85	090	3
16	050	7	7	SET	29.87	82	76	2	2100	CU	85	090	3
17	050	8	7	SET	29.87	83	76	3	2450	CU	85	090	3
18	050	7	7	SET	29.88	80	76	3	2100	CU	85	090	3
19	050	7	7	SET	29.88	80	75	4	1750	CU	85	090	3
20	050	12	6	SET	29.88	80	75	2	1750	CU	84	090	3
21	050	10	6	SET	29.89	80	75	2	1750	CU	84	090	3
22	050	10	6	SET	29.90	79	75	2	1400	CU	84	090	3
23	050	12	6	SET	29.89	79	75	2	1400	CU	84	090	3
24	050	11	6	SET	29.89	79	75	2	1400	CU	84	090	3

POSITION	ZONE	TIME
0800		
L <u>19-05 N</u>	BY <u>1</u>	
λ <u>162-55 W</u>	BY <u>1</u>	
1200		
L <u>18-48 N</u>	BY <u>2</u>	
λ <u>163-31 W</u>	BY <u>2</u>	
2000		
L <u>18-15 N</u>	BY <u>1</u>	
λ <u>164-46 W</u>	BY <u>1</u>	

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA	
FROM <u>1200, 1 Nov 62</u>	(Date)
TO <u>2000, 1 Nov 62</u>	(Date)
SET <u>—</u>	
DRIFT <u>—</u>	
POSITION BETWEEN FIXES	
MID. L <u>18-31.5 N</u>	
MID. λ <u>163-58.5 W</u>	

MILES STEAMED
0000-2400

300

FUEL CONSUMED
0000-2400

2998

REMARKS

ΦΦ-Φ4. UNDER UNDERWAY EN ROUTE FROM PEARL HARBOR HAWAII TO JOHNSTON ISLAND IN COMPANY WITH YTB 762 WITH YFNB-13 IN TOW FROM ABNAKI, IN ACCORDANCE WITH COMSERUPAC MESSAGE N 290214Z. OTC ¹⁵ COMMANDING OFFICER, USS ABNAKI (ATF-96). GUINE N ¹⁵ USS ABNAKI (ATF-96) ON BASE COURSE 248°, BASE SPEED 9.5 KNOTS. CONDITION YOKO SET THRU OUT THE SNIP.

J. E. Horton
Lieut USN

04-08. Underway as before. 0402 9/8 103 RPM 12.6 kts 20 balance out load 20 440 K.W. 0745. Masthead crew on station; attention none.

J. E. Hoffman CWO U.S.N.

APPROVED:

C. E. Reed Lt

U.S.N. COMMANDING

EXAMINED:

C. L. Walker LtJG

U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPER 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF 96)

THURSDAY 1 NOV. 1962
(Day) (Date) (Month)

08-12: UNDERWAY AS BEFORE. 1055 MADE DAILY INSPECTIONS OF
MAGAZINES AND SMOKELESS POWDER SAMPLES; CONDITIONS
NORMAL.

W. H. Swann, ENS, USN

12-16 UNDERWAY AS BEFORE

W. H. Swann, ENS, USN

16-20 UNDERWAY AS BEFORE

J. E. Horton
Ens USN

20-24: UNDERWAY AS BEFORE. 2051 °C 248°

W. H. Swann, ENS, USN

APPROVED:

C. C. Reed Lt
U.S.N. COMMANDING

EXAMINED:

R. L. Walker LTJG
U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI (ATF96) ZONE DESCRIPTION 710 DATE FRIDAY 2 NOV., 19 62
(Day) (Date) (Month)
AT/PASSAGE FROM PEARL HARBOR, HAWAII TO JOHNSTON ISLAND

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISI- BIL- ITY (Miles)	WEATH- ER (Sym- bols)	BAROM- ETER (Inches)	TEMPER- ATURE		CLOUDS			SEA WATER TEMPER- ATURE	WAVES	
	DIREC- TION (True)	SPEED (knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIREC- TION (True)	HEIGHT (Feet)
01	060	10	6	SC	29.88	78	75	3	1050	CU	84	095	3
02	065	9	6	SC	29.87	77	74	3	1050	CU	85	095	3
03	065	9	6	SC	29.87	77	74	3	1050	CU	85	095	3
04	065	10	6	SC	29.86	79	76	4	1050	CU	85	095	4
05	060	12	6	SC	29.86	78	76	4	700	SC	85	095	4
06	060	13	6	h	29.86	78	76	10	700	ST	85	095	4
07	070	9	7	h	29.87	78	77	10	350	ST	85	095	4
08	065	13	7	BKN	29.87	84	79	7	1750	SC	85	095	3
09	065	13	7	SC	29.88	82	79	5	1050	SC	85	095	3
10	060	12	7	SC	29.88	85	80	5	1750	SC	85	095	3
11	055	12	7	SC	29.88	84	80	5	1400	SC	85	095	3
12	055	10	7	BKN	29.87	83	79	7	1400	SC	85	095	3
13	055	10	7	RW	29.87	78	77	9	350	ST	85	095	3
14	060	8	7	BKN	29.86	78	76	8	700	ST	85	095	3
15	060	6	7	BKN	29.84	78	76	8	700	ST	85	095	3
16	050	9	7	OVC	29.84	80	78	10	700	ST	85	095	3
17	050	10	7	OVC	29.84	79	77	10	700	ST	84	090	3
18	060	14	7	OVC	29.85	79	77	9	700	ST	85	090	3
19	060	12	7	BKN	29.86	78	76	8	700	ST	85	090	3
20	060	13	6	RW	29.86	77	76	9	350	ST	85	090	3
21	050	14	6	OVC	29.88	77	76	9	350	ST	85	090	3
22	045	13	6	OVC	29.89	76	75	9	350	ST	85	085	3
23	045	13	6	BKN	29.89	75	74	8	350	SC	85	085	3
24	045	14	6	BKN	29.88	75	73	7	700	SC	85	085	3

POSITION	ZONE	TIME
0800		
L <u>17-30N</u>	BY <u>1</u>	
λ <u>166-43W</u>	BY <u>1</u>	
1200		
L <u>17-22N</u>	BY <u>2</u>	
λ <u>167-22W</u>	BY <u>2</u>	
2000		
L <u>17-01N</u>	BY <u>2</u>	
λ <u>168-20W</u>	BY <u>2</u>	

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA	
FROM <u>0800, 2 Nov 62</u>	(ZT) (Date)
TO <u>1200, 2 Nov 62</u>	(ZT) (Date)
SET <u>---</u>	
DRIFT <u>---</u>	
POSITION BETWEEN FIXES	
MID. L <u>17-26N</u>	
MID. λ <u>166-56.5W</u>	

MILES STEAMED 0000-2400
<u>256.5</u>

FUEL CONSUMED 0000-2400
<u>1542</u>

REMARKS

06-04 STEAMING IN COMPANY WITH YTB 762 ENROUTE
TO JOHNSTON ISLAND WITH YFNB-13 IN TOW. IN ACCORDANCE
WITH COMSERV PAC MSG 290214Z O.T.C. COMMANDING
OFFICER U.S.S. ABNAKI (ATF96) BASE COURSE 248°T PSIGE
235° BASE SPEED 9.8KTS. 101RPM MATERIAL CONDITION YOKE
SET. READINESS CONDITION III, ENGINEERING CONDITION III,
DAMAGE CONTROL CONDITION IV.

JMA R. Tourne BNKI

04-08 UNDERWAY AS BEFORE. 0745 MUSTERED CREW ON STATIONS
ABSENTEES: NONE

L. Sinton
En USN.

APPROVED:

EXAMINED:

CC Budett

U.S.N. COMMANDING

Ch. Halka LHW

U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF96)

FRIDAY 2 NOV. 1962
(Day) (Date) (Month)

08-12 Underway as before. 0800 Held General Quarters
20 electric crew on fire drill, Electrical fire
in C-701-11. Refrigeration motor 0812 @ 751°. 0820
Secured from General Quarters and fire drill. 1015
Made daily inspection of magazine and smoke
power lamps; condition normal. Made weekly test
of magazine sprinkling and flooding system; Condition
Satisfactory.

J. H. Curry CWO U.S.N.

12-16: UNDERWAY AS BEFORE. 1200 @ 249°. 1204 @ 10.1 KTS.

Lt. J. L. Brown, ENS, USNR

N 16-20 UNDERWAY AS BEFORE 1621 @ 8.3 KTS.

J. H. Curry

J. H. Curry BM1

20-24 Underway as before. 2100 @ 100 RPM. 7.7 KTS.

J. H. Curry CWO U.S.N.

APPROVED:

C. B. Reed Lt

U.S.N. COMMANDING

EXAMINED:

R. L. Walker Lt

U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +10 DATE SATURDAY 3 NOVEMBER, 19 62
(Day) (Date) (Month)
AT/PASSAGE FROM PEARL HARBOR, HAWAII TO JOHNSTON ISLAND

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISI-BIL-ITY (Miles)	WEATH-ER (Sym-bols)	BAROM-ETER (Inches)	TEMPER-ATURE		CLOUDS			SEA WATER TEMPER-ATURE	WAVES	
	DIREC-TION (True)	SPEED (knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIREC-TION (True)	HEIGHT (Feet)
01	050	12	6	BKN	29.88	75	73	7	700	ST	85	085	4
02	050	13	6	BKN	29.87	77	74	6	1050	ST	85	085	4
03	060	14	6	RW	29.86	77	75	10	700	ST	85	085	4
04	060	11	6	BKN	29.85	77	75	7	700	ST	85	085	4
05	070	12	6	SC	29.85	78	76	5	700	ST	85	085	4
06	070	12	6	SC	29.86	79	75	4	1400	SC	85	085	4
07	080	13	7	SC	29.87	79	76	5	1050	SC	85	085	4
08	080	10	7	SC	29.87	80	76	5	1400	SC	85	085	4
09	075	12	7	SC	29.88	81	76	5	1750	CU	85	085	4
10	075	14	7	SC	29.90	83	77	5	2100	CU	85	085	3
11	075	14	7	SC	29.90	84	77	4	2450	CU	85	090	3
12	075	15	7	SC	29.89	85	77	4	2800	CU	85	090	3
13	075	13	7	SC	29.88	84	78	4	2100	CU	85	090	3
14	080	15	7	SC	29.88	84	78	3	2100	CU	85	090	3
15	080	16	7	SC	29.87	83	78	3	1750	CU	85	090	3
16	080	17	7	SC	29.86	83	79	3	1400	CU	85	090	3
17	075	16	7	SC	29.86	83	79	4	1400	CU	85	090	3
18	065	17	7	SC	29.86	84	81	5	1050	CU	85	090	3
19	065	17	6	BKN	29.88	81	79	6	700	SC	85	090	3
20	070	15	6	BKN	29.89	80	78	6	700	SC	85	090	3
21	075	15	6	BKN	29.90	80	78	6	700	SC	85	090	3
22	075	15	6	BKN	29.92	81	79	6	700	SC	85	090	3
23	075	15	6	BKN	29.94	81	77	6	1400	SC	85	090	3
24	065	16	6	BKN	29.95	80	76	6	1400	SC	85	090	3

POSITION	ZONE	TIME
0800		
L		BY
A		BY
1200		
L		BY
A		BY
2000		
L	11-07N	2
A	169-21W	2

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA	
FROM	(ZT) (Date)
TO	(ZT) (Date)
SET	
DRIFT	
POSITION BETWEEN FIXES	
MID. L	
MID. A	

MILES STEAMED
0000-2400

162.3

FUEL CONSUMED
0000-2400

1343

REMARKS

00-04: UNDERWAY IN COMPANY WITH YTB-762 ENROUTE FROM PEARL HARBOR TO JOHNSTON ISLAND WITH YFNB-13 IN TOW IN ACCORDANCE WITH COMSERVAFAC MESSAGE 290214Z ON BASE COURSE 241° BASE SPEED 6.8 KTS. OTC IS COMMANDING OFFICER, U.S.S. ABNAKI (ATF-96); GUIDE IS USS ABNAKI (ATF-96). MATERIAL CONDITION YOKO IS SET. 0229 SIGHTED RED FLASHING LIGHT BEARING 259° DISTANCE APPROXIMATELY 15 MILES.

W. S. Swann, ENS, USN

04-08: UNDERWAY AS BEFORE 0524 C/S 70RPM 0528 C/S 80RPM 0628 C/S 270°T 0640 C/S 90RPM 0645 MUSTERED CREW OIL STATION NO ABSENTEES 0704 C/S 290°T 0755 COMMENCED HEAVING IN TOW TO 900 FEET 0744 COMMENCED HEAVING IN TOW TO 600 FEET 0752 C/S 70RPM 0754 C/S 60RPM 0755 C/S 50RPM 0758 TOW HEAVED IN TO 500 FEET - HEAVED IN TO 300 FEET

APPROVED:

C. Reed Lt

U.S.N. COMMANDING

EXAMINED:

A. L. Walker LtJG

U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96)SATURDAY 3 NOVEMBER, 1962
(Day) (Date) (Month)

08-12. UNDERWAY AS BEFORE 0800 HEAVED TOW IN TO 100 FT. 0814 $\frac{1}{2}$ TO 180° 0825 SET SPECIAL SEA DETAIL. CAPTAIN AND NAVIGATOR ON THE BRIDGE. ENS HORTON HAS THE CONN AND THE DECK. 0827 SHIFTED MOTOR CONTROL FROM THE MOTOR ROOM TO THE BRIDGE 0829 CAPTAIN HAS THE CONN. 0830 $\frac{1}{2}$ TO 014° 0833 $\frac{1}{2}$ TO 030° 0836 $\frac{1}{2}$ TO 010° MANEUVERING ON VARIOUS COURSES AND SPEEDS TO CONFORM WITH JOHNSTON ISLAND CHANNEL. 0900 PASSED BUOY 2 ABEAM TO STD APPROX 65 FEET ON COURSE 003° 0905 MADE DAILY INSPECTION OF MAGAZINES AND SMOKELESS POWDER SAMPLES. CONDITIONS NORMAL. 0926 LET GO PORT ANCHOR ON BEARINGS. WATER TOWER 215°, LORAN TOWER 075° LEFT TANGENT OF WEST END OF JOHNSTON ISLAND 171.5°. 10 FATHOMS OF CHAIN IN 3 FATHOM FATHOM OF WATER. CORAL BOTTOM. 0928 STARTED TO BREAK TOW. 0940 PORT SIDE OF NUMBER TWO MOTOR WHALE BOAT STOWE BY YFNB-13 WHILE DISCONNECTING TOW WIRE. 0951 DISCONNECTED YFNB-13. YTB 762 HAS IN TOW. 1010 VEERED ANCHOR CHAIN TO 15 FATHOM ON DECK. PASSED STOPPER ON ANCHOR CHAIN. 1024 SECURED SPECIAL SEA AND ANCHOR DETAIL.

JE Horton
ENS USN.

12-16. Anchored as before. 1430 Commenced preparations for getting underway. Set material condition 400. 1458 Stationed the special sea detail. 1527 Completed all preparations for getting underway. 1531 Anchor awligh. Underway FAW with CTC 8.3.6. ~~CTC~~ 03032Z Maneuvering to clear the anchorage. Captain Conn. Navigator on the bridge. Steering various courses at various speeds standing out of Johnston Island Harbor. 1540 Passed buoy (7) abeam to STD approx 30 ft. 1541 Passed buoy (5) abeam to STD approx 25 ft. 1542 Passed buoy (3) abeam to STD approx 30 ft. 1544 $\frac{1}{2}$ TO 170° 1545 $\frac{1}{2}$ TO 175° 1547 $\frac{1}{2}$ TO 215° 1551 Secured the special sea detail. 1558 $\frac{1}{2}$ TO 270° $\frac{1}{2}$ TO 120 RPM 14.3 kt

JE Horton CWO USN.

16-20 UNDERWAY AS BEFORE 1609 $\frac{1}{2}$ TO 000° 1622 $\frac{1}{2}$ TO 029° 1631 $\frac{1}{2}$ TO 90 RPM 1647 $\frac{1}{2}$ TO 027° 1914 $\frac{1}{2}$ TO 065° 1949 $\frac{1}{2}$ TO 7 RPM

JE Horton

20-24 UNDERWAY AS BEFORE 2002 $\frac{1}{2}$ TO 3.3 KNOTS $\frac{1}{2}$ TO 075° 2007 $\frac{1}{2}$ TO 1.7 KNOTS 2015 $\frac{1}{2}$ TO 2.4 KNOTS 2115 PREPARED SHIP FOR NUCLEAR DETONATION OF JOHNSTON ISLAND. 2130 OBSERVED NUCLEAR DETONATION 2135 $\frac{1}{2}$ TO 6.7 KNOTS 2137 $\frac{1}{2}$ TO 2.4 KNOTS. 2216 $\frac{1}{2}$ TO 9.5 KNOTS $\frac{1}{2}$ TO 250° 2221 $\frac{1}{2}$ TO 200° 2229 $\frac{1}{2}$ TO $\frac{1}{2}$ TO 215° 2234 $\frac{1}{2}$ TO 13.3 KNOTS

JE Horton
ENS USN

APPROVED:

EXAMINED:

CC Reed Lt.

U.S.N. COMMANDING

JE Horton

U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ARMAR (ATF-96) ZONE DESCRIPTION +10 DATE SUNDAY 4 NOVEMBER, 19 62
AT/PASSAGE FROM JOHNSTON ISLAND TO STATION 25 MILES AWAY

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISI- BIL- ITY (Miles)	WEATH- ER (Sym- bols)	BAROM- ETER (Inches)	TEMPER- ATURE		CLOUDS			SEA WATER TEMPER- ATURE	WAVES	
	DIREC- TION (True)	SPEED (knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIREC- TION (True)	HEIGHT (Feet)
01	065	16	6	SET	29.94	80	76	5	1400	SC	85	090	3
02	080	14	6	BKN	29.94	80	76	7	1400	SC	85	090	3
03	085	20	6	RN	29.93	77	74	10	1050	SC	85	090	2
04	080	16	6	BKN	29.93	78	76	6	700	SC	85	090	2
05	080	23	6	SET	29.92	79	76	4	1050	CU	85	090	2
06	080	22	6	SET	29.91	79	76	4	1050	CU	85	090	2
07	090	22	7	BKN	29.92	80	77	7	1050	SC	85	090	2
08	090	22	7	BKN	29.92	80	77	7	1050	SC	85	095	2
09	090	23	7	BKN	29.94	80	77	7	1050	SC	85	095	2
10	085	21	7	SET	29.94	81	78	5	1050	SC	85	095	2
11	085	19	7	SET	29.94	82	78	5	1400	SC	85	095	2
12	090	18	7	SET	29.93	82	78	5	1400	SC	85	095	2
13	090	18	7	SET	29.92	83	78	3	1750	SC	85	095	2
14	085	21	7	SET	29.91	84	79	4	1750	SC	85	100	2
15	085	16	7	SET	29.91	84	79	5	1750	SC	85	100	2
16	060	18	7	BKN	29.91	84	79	8	1750	SC	85	100	2
17	060	15	7	BKN	29.92	84	79	6	1750	SC	85	100	2
18	060	12	7	BKN	29.92	85	80	6	1750	SC	85	100	2
19	070	25	6	BKN	29.92	78	76	7	700	SC	85	100	2
20	070	21	6	BKN	29.93	79	77	6	700	SC	85	100	2
21	070	20	6	BKN	29.94	81	77	6	1050	SC	85	100	2
22	075	18	6	SET	29.95	79	77	5	700	SC	85	100	2
23	075	17	6	SET	29.95	79	77	5	700	SC	85	100	2
24	080	15	6	BKN	29.96	79	77	7	700	SC	85	100	2

POSITION	ZONE	TIME
0800		
L _____	BY _____	
λ _____	BY _____	
1200		
L _____	BY _____	
λ _____	BY _____	
2000		
L _____	BY _____	
λ _____	BY _____	

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA	
FROM _____	(ZT) _____ (Date) _____
TO _____	(ZT) _____ (Date) _____
SET _____	
DRIFT _____	
POSITION BETWEEN FIXES	
MID. L _____	
MID. λ _____	

MILES STEAMED 0000-2400
21.4

FUEL CONSUMED 0000-2400
449

REMARKS

00-04. Steaming Independently on station 25 miles from Johnston Island in TAW with CTU 83.6 Msc 030320Z Base Course 215°, Base speed 13.3 kts, UTC in CTU 8.36. Material Condition Yoke Set. Readiness Condition III Engineering Condition III Damage Control. 002°C 700°, 0010°C 1580, 0058°C 110°, 0104°C 113°, 0112°C 0520. Captain Canning, navigation on the bridge, maneuvering at various speeds and course changes to anchor, 0144 M Aug. Let go port anchor in 8 fathoms of water, with coral bottom, on following bearings: Loran Tower 354°, Anapulu 316°, Radio Tower 308¼°, 45 fathoms of chain out. ^{modified} Set regular underway watch. J. H. Hopper CWO USN.

04-08. Anchored as before. J. H. Hopper CWO USN.

APPROVED:

C. Reed Lt.

U.S.N. COMMANDING

EXAMINED:

R. H. Walker LtJG

U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP

ABNAXI (ATF-96)

Sunday 4 November, 1962
(Day) (Date) (Month)

08-12 Anchored as before. 0800 mustered crew on station; Absentee: none.
1058 Made daily inspection of magazines and ammunition powder samples;
Conditions: normal.

R. L. Walker
LTJG USN

12-16 Anchored as before. 1202 YTB 762 brought BG 6085
alongside. Diver, inspecting barge. 1222 BG 6085 connected and ready for
towing. Diver ^{sent} aboard. 1245 Heaved anchor into 20 fathoms. 1300
Stationed Special Sea and Anchor Detail. 1309 Captain and Navigator on
the bridge. 1311 Heaved in anchor and ran let come 085, 33 kts.
1312 All stop. 1316 Let go and anchor in 8 fathoms of water
on coral bottom on the following bearing: Radio tower 308½°, Loren
Tower 353½°, Water tower 315°, 15 fathoms of chain to the water edge.
1322 Heaved Special Sea and Anchor Detail. 1414 YTB 762
brought BG-6456 alongside. 1413 BG-6456 connected ahead
of BG-6085 in Christmas tree rig and ready for towing.

R. L. Walker
LTJG USN

16-20 Anchored as before. 1615 Heaved anchor chain to 30 fathoms
to the water edge. 1709 LCM-9 came alongside to standard. Inspecting
party with CWO-2 J.E. Haffley departed ship. 1715 Inspecting Party boarded
BG-6456. 1745 LCM-9 came alongside and Inspecting party came aboard.
1746 LCM-9 departed on regular run.

R. L. Walker
LTJG USN

20-24 Anchored as before.

R. L. Walker
LTJG USN

APPROVED:

C. B. Reed Lt.

U.S.N. COMMANDING

EXAMINED:

R. L. Walker LTJG

U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ARNAK (ATF-96) ZONE DESCRIPTION +10 DATE Monday 5 November, 19 62
(Day) (Date) (Month)
AT/PASSAGE FROM JOHNSTON ISLAND TO _____

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISI- BIL- ITY (Miles)	WEATH- ER (Sym- bols)	BAROM- ETER (Inches)	TEMPER- ATURE		CLOUDS			SEA WATER TEMPER- ATURE	WAVES	
	DIREC- TION (True)	SPEED (knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIREC- TION (True)	HEIGHT (Feet)
01	085	14	6	BKN	29.96	79	76	6	1050	SC		100	2
02	085	12	6	BKN	29.94	79	77	8	700	SC		100	2
03	085	14	6	BKN	29.95	79	77	7	700	SC		100	2
04	085	15	6	SC	29.92	79	77	4	700	SC		100	2
05	085	15	6	SC	29.92	80	78	3	700	CU		100	2
06	085	14	6	SC	29.92	80	78	3	700	CU		100	2
07	085	14	6	SC	29.92	80	78	5	700	SC		100	2
08	085	13	7	SC	29.93	81	78	5	1050	SC		090	2
09	090	12	7	SC	29.94	81	78	5	1050	SC		090	2
10	085	12	7	BKN	29.95	82	79	6	1050	CU		090	2
11	085	10	7	SC	29.95	84	79	5	1750	CU		090	2
12	085	13	7	BKN	29.94	84	79	8	1750	CU		100	2
13	085	16	7	BKN	29.93	84	79	8	1750	CU		095	2
14	085	15	7	SC	29.92	84	79	4	1750	CU		095	2
15	085	15	7	SC	29.90	84	79	4	1750	CU		095	2
16	085	17	7	SC	29.89	84	79	5	1750	CU		095	2
17	080	17	7	SC	29.89	84	79	3	1750	CU		095	2
18	080	16	7	SC	29.89	82	79	3	1050	SC		095	2
19	080	15	6	SC	29.90	81	79	3	700	SC		095	2
20	080	17	6	SC	29.90	82	78	4	1400	CU		095	2
21	080	17	6	SC	29.92	80	76	5	1400	CU		095	2
22	080	18	6	SC	29.92	80	76	3	1400	CU		095	2
23	080	14	6	SC	29.92	80	76	3	1400	CU		095	2
24	080	14	6	SC	29.92	79	76	3	1050	CU		090	2

POSITION	ZONE	TIME
0800		
L _____	BY _____	
λ _____	BY _____	
1200		
L _____	BY _____	
λ _____	BY _____	
2000		
L _____	BY _____	
λ _____	BY _____	

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA
FROM _____ (ZT) (Date)
TO _____ (ZT) (Date)
SET _____
DRIFT _____
POSITION BETWEEN FIXES
MID. L _____
MID. λ _____

MILES STEAMED
0000-2400

FUEL CONSUMED
0000-2400

808

REMARKS

06-04 Anchored in outer harbor Johnston Island with in 11 fathoms of water, coral bottom with 15 fathoms of chain to the port anchor on the following bearings: Radio Tower 308 $\frac{1}{2}$ °, Loran tower 354°, and water tower 315°. Meteorol Condition Yoke is set throughout the ship. Ship present include units of Joint Task Force 8 and various harbor craft. SOPA is CTO 8.36

B. L. Walker
LTJG USN

07-08 Anchored as before. 0745 Mustered the crew on station; Libations: none.

B. L. Walker
LTJG USN

APPROVED:

EXAMINED:

C. C. Reed Lt.

U.S.N. COMMANDING

B. L. Walker LTJG

U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF 96)MONDAY 5 NOVEMBER 1962
(Day) (Date) (Month)

08-12 ANCHORED AS BEFORE. 0853 TRANSFERED YOGN 6456 TO YTB 762
0958 TRANSFERED YOGN 6085 TO YTB 762. 1015 MADE DAILY INSPECTION
OF MAGAZINES AND SMOKELESS POWDER SAMPLES CONDITIONS NORMAL

JE Horton
Enr USN

12-16 ANCHORED AS BEFORE

JE Horton
Enr USN

16-20 ANCHORED AS BEFORE 1630 VEERED ANCHOR CHAIN TO 90 FATHOMS
AT THE WATERS EDGE. 1800 SET CONDITION YOKE THRU OUT THE SHIP.

JE Horton
Enr USN

20-24 ANCHORED AS BEFORE

JE Horton
Enr USN.

APPROVED:

CC Reed Lt.

U.S.N. COMMANDING

EXAMINED:

Q. L. Walker USN

U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI ATF 96 ZONE DESCRIPTION T10 DATE TUESDAY 6 NOVEMBER 19 62
(Day) (Date) (Month)
JEL/AT/PASSAGE FROM JOHNSTON ISLAND TO _____

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISI- BIL- ITY (Miles)	WEATH- ER (Sym- bols)	BAROM- ETER (Inches)	TEMPER- ATURE		CLOUDS			SEA WATER TEMPER- ATURE	WAVES	
	DIREC- TION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIREC- TION (True)	HEIGHT (Feet)
01	080	14	6	SET	29.92	79	76	4	1050	CU		090	2
02	080	14	6	SET	29.91	79	76	4	1050	CU		090	2
03	080	14	6	SET	29.90	79	76	4	1050	CU		090	2
04	080	13	6	SET	29.90	79	76	4	1050	CU		090	2
05	085	13	6	SET	29.90	79	75	5	1400	CU		095	2
06	085	11	6	SET	29.89	79	75	5	1400	CU		095	2
07	085	11	6	SET	29.89	79	75	5	1400	CU		095	2
08	085	18	7	SET	29.90	80	74	4	2100	CU/CI		095	2
09	085	16	7	SET	29.90	80	75	4	1750	SC		095	2
10	085	15	7	SET	29.91	81	75	3	2100	SC		095	2
11	085	14	7	SET	29.92	82	76	3	2100	CU		095	2
12	085	18	7	SET	29.90	83	78	5	1750	CU		095	2
13	080	16	7	SET	29.89	83	78	5	1750	CU		095	2
14	080	16	7	SET	29.86	84	79	5	1750	CU		095	2
15	085	16	7	SET	29.84	85	79	5	2100	CU		095	2
16	085	16	7	SET	29.84	84	77	5	2450	CU		095	2
17	085	15	7	SET	29.83	83	75	5	2800	CU		100	3
18	090	15	7	SET	29.83	83	74	4	3150	CU		100	3
19	090	16	7	SET	29.85	82	75	4	2450	CU		100	3
20	090	16	6	SET	29.86	81	75	4	2100	CU		100	3
21	090	17	6	SET	29.88	80	76	3	1400	CU		100	3
22	085	20	6	SET	29.89	80	76	4	1400	CU		100	3
23	085	19	6	SET	29.90	79	76	4	1050	CU		100	3
24	080	19	6	SET	29.88	79	76	6	1050	CU		100	2

POSITION	ZONE	TIME
0800		
L _____	BY _____	
λ _____	BY _____	
1200		
L _____	BY _____	
λ _____	BY _____	
2000		
L <u>16-40N</u>	BY <u>3</u>	
λ <u>169-29W</u>	BY <u>3</u>	

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA	
FROM _____	(Date)
TO _____	(Date)
SET _____	
DRIFT _____	
POSITION BETWEEN FIXES	
MID. L _____	
MID. λ _____	

MILES STEAMED
0000-2400

37.1

FUEL CONSUMED
0000-2400

563

REMARKS

00-04. ANCHOR AT JOHNSTON ISLAND IN 12 FATHOMS OF WATER WITH 90 FATHOM OF ANCHOR CHAIN. ANCHORAGE BEARINGS - LORAN TOWER ON SAND ISLAND 356°. AERO BECON ON JOHNSTON ISLAND 318° SHIPS PRESENT INCLUDE VARIOUS UNITS OF US PACIFIC FLEET AND YARD CRAFT. SOPA IS CTE 8.3.9.6. CONDITION YOLKE SET THRU OUT THE SHIP.

LC Norton
Enr USN

04-08 ANCHORED AS BEFORE. 0745 MUSTERED CREW ON STATIONS: ABSENTEES: NONE

LC Norton
Enr USN

APPROVED:

CB Reed Lt.

U.S.N. COMMANDING

EXAMINED:

A. L. Walker Ltjg

U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96)TUESDAY 6 NOVEMBER 62
(Day) (Date) (Month)

08-12: ANCHORED AS BEFORE. 0800 LOWERED STARBOARD ANCHOR UNDERFOOT. 1002: MADE DAILY INSPECTIONS OF MAGAZINES AND SMOKELESS POWDER SAMPLES; CONDITIONS NORMAL. 1040 YFM 262 CAME ALONGSIDE TO DELIVER YFN-994. 1049 YTM-262 DEPARTED.

H. J. Swan, ENS, USNR

12-16: ANCHORED AS BEFORE. 1235 HEAVED PORT ANCHOR IN TO 30 FATHOMS ON DECK. 1430 COMMENCED MAKING PREPARATIONS FOR GETTING UNDERWAY. 1450 YTM-262 CAME ALONGSIDE TO STARBOARD TO DELIVER BG-6085 TO ABNAKI. 1456 YTM-262 DEPARTED. 1529 COMMENCED HEAVING PORT ANCHOR IN TO 15 FATHOMS. 1532 SET THE SPECIAL SEA AND ANCHOR DETAIL. CAPTAIN AND NAVIGATOR ON THE BRIDGE. 1535 COMMENCED HEAVING IN PORT ANCHOR TO SHORT STAY. COMMENCED MAKING MINOR SPEED ADJUSTMENTS TO PREPARE FOR TOWING. 1543 YTB-762 APPROACHED WITH BG-6456 1558 BG-6456 CONNECTED.

H. J. Swan, ENS, USNR

16-20: ANCHORED AS BEFORE. 1601 WEIGHED ANCHOR. UNDERWAY IN ACCORDANCE WITH CONSERVAPAC MESSAGE 290214Z OCT. IN COMPANY WITH YTB-762 AND WITH YFN-994, BG-6085 ^{WTS} AND BG-6456 IN TOW. COMMENCED STEERING VARIOUS COURSES AT VARIOUS SPEEDS TO BRING TOWS IN STEP. 1610 A/STOP. UNDER-RIDER CABLE TO BG-6085 BELIEVED HUNG UP ON CORAL HEAD. 1611 ANCHORED IN 10 FATHOMS OF WATER AT JOHNSTON ISLAND WITH 30 FATHOMS OF CHAIN TO THE PORT ANCHOR. CORAL BOTTOM. ANCHOR BEARINGS FOLLOW: LORAN TOWER 353°, TANK 316°, RADIO TOWER 309½°. 1612 YTB-762 ATTEMPTING TO FREE BG-6085. 1630 LCM-9 CAME ALONGSIDE TO STARBOARD TO KEEP ABNAKI'S BOW UPWIND. COMMENCED HEAVING IN THE PORT ANCHOR. 1635 UNDERWAY FROM ANCHORAGE. C/S AHEAD 3.3 KTS. 1638 ALL STOP. 1641 ANCHORED IN SAME LOCATION AS BEFORE. VEERED CHAIN TO PORT ANCHOR TO 45 FATHOMS. 1641 LCM-9 DEPARTED FROM ALONGSIDE TO STARBOARD. 1720 COMMENCED HEAVING IN ANCHOR. 1725 C/S AHEAD 3.3 KTS. 1731 C/S 6.7 KTS. WEIGHED ANCHOR, UNDERWAY FROM ANCHORAGE. 1734 BG-6085 CLEAR OF CORAL HEAD. 1737 C/S 125° C/S 7.7 KTS. 1748 C/S 125°. 1749 C/S 110° C/S 8.9 KTS. 1750 C/S 114° C/S 6.7 KTS. 1836 C/S 110°. 1838 CABLE SECURING BG-6456 CARRIED AWAY. ALL STOP. BG-6456 ADRIET. 1840 C/S 090° AHEAD 1.2 KTS. YTB-762 MANEUVERING TO RECOVER BG-6456. 1842 C/S 3.3 KTS. 1846 C/S 1.7. 1852 YTB-762 HAS BG-6456 IN TOW. YTB-762 BROUGHT BG-6456 ALONGSIDE TO STARBOARD. 1906 C/S 1.2 KTS. 1930 ALL STOP. MAKING READY TO TAKE BG-6456 IN TOW FROM YTB-762

H. J. Swan, ENS, USNR

20-24, Underway as before. 2000 Getting Continuous Hit on Starboard from (BG-6085) YTB 762 approaching at Port bow to pull line to pull back. 2013 Received line from (YTB-762) commenced pulling barge away. 2021 Standing by to drop Starboard anchor. 2037 Walked Starboard anchor to 15 fathoms. 2043 Let go Starboard anchor in 27 fathoms of water - Coral Bottom on following bearings Loran Tower 357.5, Tank 339½, Radio tower 336° with 45 fathoms to water edge. 2049 Veered to 90 fathoms - 100 fathoms with stopper. 2051 Received Hit on Port side by (BG-6456) 2100 Released special searchlight. Let modified steamy watch.

J. H. Hapley CWO USN

APPROVED:

EXAMINED:

C. Reed Lt.

U.S.N. COMMANDING

L. L. Walker USN

U.S.N. NAVIGATOR

U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP HBNAKI (ATF-96)WEDNESDAY, 7 NOVEMBER 62
(Day) (Date) (Month)

08-12 Anchored as before, on the following bearings:
 Loran Tower 000° , Tank $333\frac{1}{2}^{\circ}$, and Aere
 beater $344\frac{1}{2}^{\circ}$. 0817 Down over the side. 0832
 down back on board. 0845 Stationed the
 special sea and anchor detail. 0848 Captain
 and navigator on the bridge. 0854 Commenced
^{weighing} ~~starting~~ up anchor. 0913 Underway from anchorage
 area - Johnston Island to Pearl Harbor, Hawaii
 TAW COMSERV PAC MSG 290714Z of Oct with
 (BG-6085) - (BG-6456) and (YFN-994) in tow
 with (YTB-76) accompanying in back to Pearl
 Harbor, Hawaii. 0914 $\frac{1}{4}$ 40 RPM. 0917 $\frac{1}{5}$ 50 RPM.
 0920 $\frac{1}{3}$ 60 RPM - Keered Tow (BG-6456) to
 400 feet. 0932 Both anchors secured for sea.
 0937 Commenced streaming tow to 1500 feet
 0936. Secured special sea and anchor detail.
 0942 Tow streamed to 1500 feet. 0943 Tow on
 the dog. 0959 $\frac{1}{4}$ 090, 1005 $\frac{1}{5}$ 75 RPM - 9.3 hr
 1014 $\frac{1}{3}$ 80 RPM 10.1 hr. 1017 Made daily
 inspection of magazines and snapper power
 sampler; condition normal. 1024 $\frac{1}{3}$ 90 RPM 11.3 hr
 1037 $\frac{1}{3}$ 100 RPM, 12.3 hr. 1055 $\frac{1}{3}$ 105 RPM
 12.8 hr. 1100 Tow wins on the brake at 1500
 feet 1115 $\frac{1}{4}$ 0670.

J. H. Haffey CDR USN

12-16: UNDERWAY AS BEFORE.

H. H. Swan ENS, USNR

16-18: UNDERWAY AS BEFORE.

H. H. Swan, ENS, USNR

18-24: UNDERWAY AS BEFORE.

H. H. Swan, ENS, USNR

24-24 UNDERWAY AS BEFORE. 2209 $\frac{1}{5}$ 7095 RPMJ. E. Horton
ENS USN

APPROVED:

C. C. Breed Lt

U.S.N. COMMANDING

EXAMINED:

J. L. Walker Ltjg

U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +10 DATE THURSDAY 8, NOVEMBER 62
(Day) (Date) (Month)
AT/PASSAGE FROM JOHNSTON ISLAND TO PEARL HARBOR, HAWAII

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISI- BIL- ITY (Miles)	WEATH- ER (Sym- bols)	BAROM- ETER (Inches)	TEMPER- ATURE		CLOUDS			SEA WATER TEMPER- ATURE	WAVES	
	DIREC- TION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIREC- TION (True)	HEIGHT (Feet)
01	095	19	6	BKN	29.92	78	75	8	1050	Sc	84	105	4
02	095	19	6	BKN	29.90	78	76	8	700	Sc	84	105	4
03	095	19	6	BKN	29.86	79	76	6	1050	Sc	84	105	4
04	095	20	6	BKN	29.85	79	76	6	1050	Cu	84	105	4
05	095	20	6	RW	29.84	78	77	9	350	Cu	84	110	4
06	095	20	6	BKN	29.86	78	77	8	350	Cu	84	110	4
07	095	20	6	BKN	29.87	79	76	7	1050	Cu	84	110	4
08	100	18	7	RW	29.89	78	75	9	1050	Cu	84	110	4
09	100	18	7	ScT	29.92	80	75	3	1750	Cu	84	110	4
10	100	18	7	ScT	29.93	81	76	4	1750	Cu	84	110	4
11	105	18	7	BKN	29.94	81	76	7	1750	Cu	84	110	4
12	080	22	7	BKN	29.92	80	75	8	1750	Cu	84	100	4
13	080	18	7	BKN	29.90	82	77	6	1750	Cu	84	100	4
14	080	18	7	ScT	29.88	82	77	5	1750	Cu	84	100	4
15	050	21	7	BKN	29.86	81	78	7	1050	Cu	84	100	4
16	060	20	7	ScT	29.86	81	77	5	1400	Sc	84	100	4
17	070	20	7	ScT	29.87	81	76	4	1750	Sc	84	100	4
18	085	21	7	BKN	29.87	80	76	6	1400	Cu	84	105	4
19	085	22	7	BKN	29.87	80	75	6	1750	Cu	84	105	4
20	095	18	6	ScT	29.89	79	75	4	1400	Cu	85	105	4
21	095	19	6	BKN	29.90	79	75	6	1400	Cu	85	105	4
22	090	21	6	ScT	29.91	79	75	5	1400	Cu	84	105	4
23	085	21	6	ScT	29.92	79	75	5	1400	Cu	84	105	4
24	085	18	6	BKN	29.91	80	76	6	1400	Cu	84	105	4

POSITION	ZONE	TIME
0800		
L <u>17-30 N</u>	BY <u>2</u>	
λ <u>167-24 W</u>	BY <u>2</u>	
1200		
L <u>17-39 N</u>	BY <u>2</u>	
λ <u>167-01 W</u>	BY <u>2</u>	
2000		
L <u>18-00 N</u>	BY <u>2</u>	
λ <u>166-14 W</u>	BY <u>2</u>	

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA	
FROM <u>5800, 8 Nov 62</u>	(ZT) (Date)
TO <u>1200, 8 Nov 62</u>	(ZT) (Date)
SET <u>—</u>	
DRIFT <u>—</u>	
POSITION BETWEEN FIXES	
MID. L <u>17-34.5 N</u>	
MID. λ <u>167-12.5 W</u>	

MILES STEAMED
0000-2400

293.7

FUEL CONSUMED
0000-2400

3454

REMARKS

00-04. Steaming in company with YTB-762 enroute from Johnston Island to Pearl Harbor, Hawaii with the following Barge in tow, BG-6486, BG-6085, YFN-944. 1500 feet of tow wire out under the brake. OTC C.O. U.S.A. Abnaki. Base course 067°, Base Speed 6.4 kts 100 RPM. Material Condition "Yoko" set. Readiness Condition III. Engineering Condition III. D.C. Condition IV. ~~Speed 7.5 RPM. 11.8 kts~~

Jefferies crew USN

04-08: UNDERWAY AS BEFORE: 0732 $\frac{1}{3}$ 12.3 KTS. 0740 $\frac{1}{3}$ 11.8 KTS.
0745 MUSTERED THE CREW ON STATIONS; ABSENTEES NONE.

W. J. Swan, ENS, USN

APPROVED:

CCB Red Lt.

U.S.N. COMMANDING

EXAMINED:

Ch. Walker LtJG

U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI ATF 96 THURSDAY 8 NOVEMBER 1962
(Day) (Date) (Month)

08-12 UNDERWAY AS BEFORE 0800 ^{12.7 kt} C/S ~~100 RPM~~ 0937 MADE ²
DAILY INSPECTION OF MAGAZINE AND SMOKELESS POWDER SAMPLES;
CONDITION: NORMAL

J. H. DeJourn

12-16 UNDERWAY AS BEFORE.

J. E. Horton
ENS USN

14-20 Underway as before, 1405 C/S 105 RPM - 12.3 kt
1621 C/S 100 RPM 12.3 kt 1645 Made visual Contact
Ship bearing 105° approx 8 mile. 1712 Contact - a
U.S.A. Frigate County (UST-762). 1751 Made visual
Contact 1750 approx 13 mile

J. E. Kopp ENS USN.

20-24 UNDERWAY AS BEFORE 2307 ^{11.8 kt} C/S ~~95 RPM~~ ²

J. H. DeJourn

APPROVED:

C. C. Radt U.S.N. COMMANDING

EXAMINED:

L. H. Miller USN U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI ATF 96 ZONE DESCRIPTION +10 DATE FRIDAY 9 NOVEMBER, 19 62
(Day) (Date) (Month)
AT/PASSAGE FROM JOHNSTON ISLAND TO PEARL HARBOR HAWAII

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISI-BIL-ITY (Miles)	WEATH-ER (Sym-bols)	BAROM-ETER (Inches)	TEMPER-ATURE		CLOUDS			SEA WATER TEMP-ER-ATURE	WAVES	
	DIREC-TION (True)	SPEED (knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIREC-TION (True)	HEIGHT (Feet)
01	085	18	7	SET	29.90	80	75	4	1750	CU	84	105	4
02	085	18	7	BKN	29.90	79	77	7	700	SC	84	105	4
03	090	18	7	BKN	29.89	80	76	8	1400	SC	84	105	4
04	090	20	7	BKN	29.88	80	77	7	1050	SC	84	105	4
05	090	21	7	BKN	29.88	80	77	7	1050	SC	84	105	4
06	090	21	7	BKN	29.89	80	77	7	1050	SC	84	110	4
07	090	21	7	BKN	29.90	80	78	8	700	CU	84	110	4
08	100	18	7	SET	29.92	80	77	4	1050	CU	84	110	4
09	100	21	7	SET	29.94	81	77	4	1400	CU	84	110	4
10	105	22	7	SET	29.94	82	78	3	1400	CU	84	110	4
11	095	16	7	SET	29.94	82	78	4	1400	CU	84	110	4
12	100	15	7	BKN	29.92	82	78	8	1400	CU	84	110	4
13	080	15	7	BKN	29.91	83	79	8	1400	CU	84	110	4
14	070	18	7	BKN	29.88	82	78	7	1400	CU	84	110	4
15	070	18	7	BKN	29.86	82	78	7	1400	CU	84	110	4
16	070	18	7	BKN	29.86	81	78	7	1050	CU	84	110	4
17	070	20	7	BKN	29.87	81	78	7	1050	CU	84	110	4
18	040	21	7	SET	29.88	80	77	3	1050	CU	84	065	4
19	045	21	7	SET	29.89	80	77	4	1050	CU	84	065	4
20	095	16	7	SET	29.90	79	77	4	700	CU	84	065	4
21	095	19	7	SET	29.92	80	77	4	1050	CU	84	065	4
22	095	19	7	SET	29.93	80	77	4	1050	CU	84	065	4
23	095	19	7	SET	29.93	79	77	4	700	CU	84	065	4
24	090	19	7	SET	29.93	79	77	4	700	CU	84	065	4

POSITION	ZONE	TIME
0800		
L <u>18-26 N</u>	BY <u>2</u>	
λ <u>165-02 W</u>	BY <u>"</u>	
1200		
L <u>18-34 N</u>	BY <u>2</u>	
λ <u>164-38 W</u>	BY <u>"</u>	
2000		
L <u>18-51 N</u>	BY <u>2</u>	
λ <u>163-48 W</u>	BY <u>"</u>	

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA	
FROM	(ZT) (Date)
TO	(ZT) (Date)
SET	
DRIFT	
POSITION BETWEEN FIXES	
MID. L	<u>18-30 N</u>
MID. λ	<u>164-40 W</u>

MILES STEAMED
0000-2400

295.9

FUEL CONSUMED
0000-2400

351.2

REMARKS

ΦΦ-Φ4 UNDERWAY ENROUTE FROM JOHNSTON ISLAND TO PEARL HARBOR HAWAII IN ACCORDANCE WITH COMSERV PAC MESSAGE 290214Z, WITH YOGN 6456, YOGN 6085 AND YFN 994 IN TOW, IN COMPANY WITH YTB 762 OTC IN COMMANDING OFFICER USS ABNAKI. BASE COURSE 067° BASE SPEED 6 KNOTS. GUIDE IS USS ABNAKI. CONDITION YOKE SET THRU OUT FOR THE SHIP. 031345 TO 1005 P.M.

J. E. Norton
Enr USN.

04-08. Underway as before. 0430 Made visual contact ship Bearing 280°, approx 15 miles. 0745 Mustered crew on station; adventure near.

Justoff by crew USN.

APPROVED:

C. C. Reed Lt

U.S.N. COMMANDING

EXAMINED:

C. L. Falker Ltjg

U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96)FRIDAY 9 NOVEMBER 1962
(Day) (Date) (Month)

08-12: UNDERWAY AS BEFORE. 1126 MADE DAILY ^{NCS} ~~FE~~ INSPECTIONS OF MAGAZINES AND SMOKELESS POWDER SAMPLES; CONDITIONS NORMAL. CONDUCTED WEEKLY TEST OF MAGAZINE SPRINKLING SYSTEM: TEST SATISFACTORY.

H. K. Luman, ENS, USNR.

12-16 UNDERWAY AS BEFORE

J. H. DeFurme

16-20 UNDERWAY AS BEFORE 1947 $\frac{4}{5}$ TO 95 RPM.

SEX

J. H. Hopper, ENS, USN.

20-24: UNDERWAY AS BEFORE.

H. K. Luman, ENS, USNR

APPROVED:

C. C. Reed Lt.

U.S.N. COMMANDING

EXAMINED:

L. M. Walker HSC

U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI (ATF 96) ZONE DESCRIPTION +10 DATE SATURDAY 10 NOV., 19 62
(Day) (Date) (Month)
AT/PASSAGE FROM JOHNSTON ISLAND TO PEARL HARBOR, HAWAII

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISI- BIL- ITY (Miles)	WEATH- ER (Sym- bols)	BAROM- ETER (Inches)	TEMPER- ATURE		CLOUDS			SEA WATER TEMPER- ATURE	WAVES	
	DIREC- TION (True)	SPEED (knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIREC- TION (True)	HEIGHT (Feet)
01	090	20	7	SET	29.92	79	76	4	1050	CU	84	065	3
02	085	20	7	SET	29.92	79	76	4	1050	CU	84	065	3
03	085	20	6	BKN	29.90	78	76	6	700	CU	84	065	3
04	048	17	7	SET	29.91	78	75	4	1050	CU	84	065	4
05	050	17	7	SET	29.91	78	75	4	1050	CU	84	065	4
06	040	17	7	SET	29.91	78	75	5	1050	CU	84	060	4
07	080	11	7	BKN	29.93	78	75	6	1050	CU	84	070	4
08	045	19	7	BKN	29.94	79	75	6	1400	CU	84	070	4
09	050	21	7	BKN	29.95	80	76	7	1400	CU	84	070	4
10	050	21	7	BKN	29.97	80	76	7	1400	CU	84	070	4
11	050	17	7	SET	29.97	80	77	4	1050	CU	84	075	4
12	050	19	7	SET	29.96	81	78	4	1050	CU	84	075	4
13	050	19	7	SET	29.94	81	78	4	1050	CU	84	075	4
14	055	21	7	SET	29.92	81	78	4	1050	CU	84	075	4
15	055	21	7	SET	29.90	81	78	4	1050	CU	84	075	4
16	050	19	7	SET	29.91	81	77	4	1400	CU	84	075	4
17	050	18	7	SET	29.91	79	74	3	1750	CU	84	075	4
18	050	19	7	BKN	29.92	79	76	7	1050	CU	84	075	7
19	040	22	7	SET	29.92	78	75	4	1050	CU	84	075	7
20	050	22	7	SET	29.93	78	75	4	1050	CU	84	075	5
21	075	21	7	SET	29.96	78	76	4	700	CU	84	070	5
22	075	21	7	SET	29.96	78	76	4	700	CU	84	070	5
23	060	22	7	SET	29.95	78	77	4	350	CU	84	070	5
24	060	22	7	SET	29.95	78	77	4	350	CU	84	070	4

POSITION	ZONE	TIME
0800		
L <u>19-19 N</u>	BY <u>2</u>	
λ <u>162-24 W</u>	BY <u>"</u>	
1200		
L <u>19-31 N</u>	BY <u>3</u>	
λ <u>161-57 W</u>	BY <u>"</u>	
2000		
L <u>19-51 N</u>	BY <u>2</u>	
λ <u>161-07 W</u>	BY <u>"</u>	

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA	
FROM <u>1800, 10 Nov 62</u>	(ZT) (Date)
TO <u>2000, 10 Nov 62</u>	(ZT) (Date)
SET <u> </u>	
DRIFT <u> </u>	
POSITION BETWEEN FIXES	
MID. L <u>19-41 N</u>	
MID. λ <u>161-32 W</u>	

MILES STEAMED
0000-2400

299.6

FUEL CONSUMED
0000-2400

3574

REMARKS

00-04 UNDER WAY ENROUTE FROM JOHNSTON ISLAND TO PEARL HARBOR, HAWAII IN ACCORDANCE WITH COM SERV PAC MESSAGE 290214Z WITH THE FOLLOWING BARGES IN TOW BG 6085 BG 6456 AND YFM 994 1500 FEET OF TOW WIRE OUT AND ON THE BRAKE. IN COMPANY WITH YFB 762 OTC COMMANDING OFFICER U.S.S. ABNAKI (ATF 96) BASE COURSE 067° N BASE SPEED ^{6 kts} ~~100 RPM~~ MATERIAL CONDITION VORSE SET THROUGH OUT THE SHIP READINESS CONDITION III ENGINEERING CONDITION IV DAMAGE CONTROL CONDITION IV

J. H. De Jorne

04-08 UNDERWAY AS BEFORE 0745 MUSTERED CREW ON STATIONS. ABSENTEES NONE

E. Horton
Ensign

APPROVED:

C. E. Red Lt.

U.S.N. COMMANDING

EXAMINED:

A. L. Walker Ltjg

U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ATB WAKI (ATF-96)SATURDAY 10 NOVEMBER 62
(Day) (Date) (Month)

08-12. Underway as before. 0800 %s 105 RPM 12.6 Kts 0804
% 0640. 0955. Made daily inspection of magazines
and smother power supply, condition normal.
1145 %s 100 R.P.M. 12.3 kts

J. Hopper CWO USN.

12-16: UNDERWAY AS BEFORE.

W. DeSena, ENS, USNR

16-20 UNDERWAY AS BEFORE. 1947 % TO 95 RPM

J. E. Horton
ENS USN

20-24. Underway as before.

J. Hopper CWO USN.

APPROVED:

C. C. Reed Lt

U.S.N. COMMANDING

EXAMINED:

J. L. Walker

U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI (ATF 96) ZONE DESCRIPTION +10 DATE SUNDAY 11 NOV. 19 62
(Day) (Date) (Month)
AT/PASSAGE FROM JOHNSTON ISLAND TO PEARL HARBOR, HAWAII

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISI-BIL-ITY (Miles)	WEATH-ER (Sym-bols)	BAROM-ETER (Inches)	TEMPER-ATURE		CLOUDS			SEA WATER TEMPER-ATURE	WAVES	
	DIREC-TION (True)	SPEED (knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIREC-TION (True)	HEIGHT (Feet)
01	050	20	7	BKN	29.94	78	77	6	350	CU	84	065	4
02	050	21	7	BKN	29.94	78	77	6	350	CU	84	065	4
03	050	21	7	BKN	29.94	78	77	6	350	CU	84	065	4
04	050	17	7	BKN	29.95	77	76	8	700	CU	84	060	5
05	045	23	7	BKN	29.94	77	73	8	1400	CU	84	055	5
06	055	22	7	BKN	29.96	78	74	6	1400	CU	84	055	5
07	045	22	7	BKN	29.98	78	74	7	1400	CU	84	055	5
08	045	18	7	BKN	30.00	79	75	7	1400	CU	84	055	5
09	050	18	7	BKN	30.01	80	77	7	1050	CU	84	055	5
10	050	18	7	BKN	30.02	80	77	6	1050	CU	84	055	5
11	050	18	7	BKN	30.02	80	77	7	1050	CU	84	055	5
12	050	20	7	BKN	30.00	80	77	7	1050	CU	83	060	5
13	060	20	7	BKN	29.98	81	78	7	1050	CU	83	065	5
14	065	20	7	BKN	29.96	81	79	7	700	CU	83	075	5
15	065	20	7	BKN	29.94	81	79	7	700	CU	83	075	5
16	080	17	7	BKN	29.95	81	74	8	2450	CU	83	080	5
17	080	17	7	BKN	29.95	80	76	8	1400	CU	83	080	5
18	090	14	7	BKN	29.96	79	74	7	1750	CU	83	080	5
19	090	14	7	BKN	29.99	79	74	8	1750	CU	83	080	5
20	060	19	6	BKN	30.00	78	74	7	1400	CU	83	070	5
21	070	18	6	SET	30.04	78	74	4	1400	CU	83	070	5
22	060	17	6	SET	30.04	78	74	4	1400	CU	83	070	5
23	060	17	6	SET	30.04	78	76	3	700	CU	83	070	5
24	060	17	6	SET	30.04	78	76	3	700	CU	83	070	5

POSITION	ZONE	TIME
0800		
L <u>20-24 N</u>	BY <u>2</u>	
λ <u>160-03 W</u>	BY <u>"</u>	
1200		
L <u>20-34 N</u>	BY <u>2</u>	
λ <u>159-42 W</u>	BY <u>"</u>	
2000		
L <u>21-08 N</u>	BY <u>2</u>	
λ <u>159-04 W</u>	BY <u>"</u>	

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA	
FROM <u>0800, 11 Nov 62</u>	(ZT) (Date)
TO <u>1800, 11 Nov 62</u>	(ZT) (Date)
SET <u> </u>	
DRIFT <u> </u>	
POSITION BETWEEN FIXES	
MID. L <u>20-29 N</u>	
MID. λ <u>159-47.5 W</u>	

MILES STEAMED
0000-2400

295.6

FUEL CONSUMED
0000-2400

3390

REMARKS

~~00-04~~: UNDERWAY ENROUTE FROM JOHNSTON ISLAND TO PEARL HARBOR, HAWAII WITH YFN-994, BG-6085, OG-6456 IN TOW AND IN COMPANY WITH YTB-762 IN ACCORDANCE WITH COMSERVAFAC MESSAGE 290214Z, OCTOBER, ON BASE COURSE 064°, BASE SPEED 6.5 KTS (100 RPM). OTC IS COMMANDING OFFICER, U.S.S. ABNAKI (ATF-96). GUIDE IS U.S.S. ABNAKI (ATF-96). CONDITION YOUNG SET, 0330 ¹⁰⁰ 6.5 KTS (100 RPM)

W. L. Sullivan, ENS, USN

04-08 UNDERWAY AS BEFORE 0745 ~~TESTED SHIPS~~
WHISTLE, SIREN, ~~GENERAL~~, ~~CHEMICAL~~ AND ~~STEERING~~ EMERG.
ALARMS; ~~TEST~~: SATISFACTORY. Noted the crew in position.
Phonics: none

APPROVED:

C. C. Brad L.

U.S.N. COMMANDING

EXAMINED:

A. L. Walker

U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI ATF96 Sunday 11 November, 1967
(Day) (Date) (Month)

08-12 UNDERWAY AS BEFORE 0807 1/2 TO 95 RPM 0823 1/2 TO 100 RPM.

JE Horton
 En USN

12-16. Underway as before. 1300 1/2 to 0440.

JE Horton
 En USN

16-18: UNDERWAY AS BEFORE.

JE Horton
 En USN

18-20: UNDERWAY AS BEFORE.

JE Horton
 En USN

20-24 UNDERWAY AS BEFORE. 2120 1/2 TO 0900

JE Horton
 En USN

APPROVED:

CC Reed Lt.

U.S.N. COMMANDING

EXAMINED:

AL Walker Ltjg

U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

ISS ABNAKI (ATF-96) ZONE DESCRIPTION +10 DATE Monday 12 November, 19 62
(Day) (Date) (Month)
AT/PASSAGE FROM JOHNSTON ISLAND TO PEARL HARBOR, HAWAII

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISI- BIL- ITY (Miles)	WEATH- ER (Sym- bols)	BAROM- ETER (Inches)	TEMPER- ATURE		CLOUDS			SEA WATER TEMPER- ATURE	WAVES	
	DIREC- TION (True)	SPEED (knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIREC- TION (True)	HEIGHT (Feet)
01	060	17	6	scT	30.03	78	76	3	700	CU	83	075	4
02	065	16	6	scT	30.02	77	75	3	700	CU	83	075	4
03	065	16	6	scT	30.00	77	75	4	700	CU	83	075	3
04	065	18	7	scT	30.00	76	72	3	1400	CU	83	075	3
05	065	12	7	scT	29.99	77	73	3	1400	CU	83	075	3
06	035	12	7	scT	30.00	77	73	3	1400	CU	83	075	2
07	055	11	7	scT	30.00	77	76	3	350	CU	83	075	2
08	055	9	7	BKN	30.02	82	78	6	1400	CU			
09	055	9	7	BKN	30.04	82	78	7	1400	CU			
10	055	9	7	BKN	30.04	82	78	7	1400	CU			
11	055	9	7	scT	30.03	73	71	4	700	CU			
12	055	8	7	scT	30.01	80	75	4	1750	CU			
13	055	8	7	BKN	30.00	83	81	6	700	CU			
14	050	7	7	BKN	30.00	85	81	6	1400	CU			
15	050	7	7	BKN	29.98	85	81	6	1400	CU			
16	050	5	6	BKN	30.00	81	81	5	0	CU			
17	050	5	6	BKN	30.00	81	81	5	0	SC			
18	050	5	6	BKN	30.00	81	81	5	0	SC			
19	030	5	5	BKN	30.00	80	79	5	350	SC			
20	030	5	5	BKN	30.00	77	76	4	350	SC			
21	030	5	5	BKN	30.00	77	76	4	350	SC			
22	020	6	5	BKN	30.08	77	76	3	350	SC			
23	005	10	5	BKN	30.01	77	76	3	350	CU			
24	005	10	5	BKN	30.02	75	73	2	700	CU			

POSITION	ZONE	TIME
0800		
L	BY	
λ	BY	
1200		
L	BY	
λ	BY	
2000		
L	BY	
λ	BY	

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA	
FROM	(ZT) (Date)
TO	(ZT) (Date)
SET	
DRIFT	
POSITION BETWEEN FIXES	
MID. L	
MID. λ	

MILES STEAMED
0000-2400

93.2

FUEL CONSUMED
0000-2400

576

REMARKS

00-04 Underway enroute from Johnston Island to Pearl Harbor, Hawaii with YFN-794, BG 6085, BG 6486 in tow and in company with YTB-762 in accordance with COMSOPVAC, MSG 290214Z, of October 62, Base course 0440, Base speed 6.2 kts. Material Condition 4000. U.S. Commanding Officer U.S.S. Abnaki (ATF-96) 0138 sighted Barber Point Light Brg 087°, approx 19 miles. 0201 °C 095°.

get happy and U.S.N.

04-08: UNDERWAY AS BEFORE. 0435 $\frac{1}{2}$ 11.3 kts. 0437 $\frac{1}{2}$ 10.1 kts. 0445 $\frac{1}{2}$ 7.7 kts. 0506 $\frac{1}{2}$ 6.7 kts. 0537 $\frac{1}{2}$ 090°. 0559 PASSED TACTICAL CONTROL OF YTB-762 TO PEARL HARBOR CONTROL VIA CIRCUIT A2C. 0630: MUSTERED THE CREW ON STATIONS; ABSENTEES NONE. 0655 $\frac{1}{2}$ 5.2 kts. 0700 HEAVED TOWS IN TO 1800 FEET. 0725 SET THE SPECIAL SEA AND ANCHOR DETAIL. 0727 $\frac{1}{2}$ 6.7 kts. 0728 $\frac{1}{2}$ 9.5 kts. 0735 $\frac{1}{2}$ 329°, $\frac{1}{2}$ 7.7 kts. 0744 $\frac{1}{2}$ 315°. 0750 $\frac{1}{2}$ 10.1 kts. 0752 $\frac{1}{2}$ 325°. 0755 $\frac{1}{2}$ 330°. 0756 $\frac{1}{2}$ 8.9 kts. 0758 $\frac{1}{2}$ 7.7 kts.

APPROVED:

EXAMINED:

U.S.N. COMMANDING

U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP

ABNAKE ATF-96

Monday 12 November, 1962
(Day) (Date) (Month)

08-12: UNDERWAY AS BEFORE. ~~0800~~ 4/5 6-7 KTS. ~~0803~~ 4/5 7.7 KTS
 1/2 333°. ~~0807~~ 1/2 6.7 KTS. 0811 TOW HEAVED IN. 0826 PASSED
 BOWY 2 ABEAM TO STARBOARD, DISTANCE 150 FT. COMMENCED
 MAKING VARIOUS COURSE AND SPEED CHANGES TO CONFORM WITH
 PEARL HARBOR CHANNEL. 0834 BROKE TOW WITH BG-6456. YTB-761
 TOOK BG-6456 IN TOW. 0843 HEAVED IN BG-6085. 0908 BROKE
 TOW WITH BG-6085. YTB-761 TOOK BG-6085 IN TOW. 0910
 HEAVED IN YFN-994. 0919 BROKE TOW WITH YFN-994. YTM-496
 TOOK YFN-994 IN TOW. 0926 PASSED BOWY 16 ABEAM TO
 STARBOARD, DISTANCE 200 FT. 0931 PASSED BOWY 22 ABEAM TO
 STARBOARD, DISTANCE 100 FT. 0950 MAKING VARIOUS COURSE
 AND SPEED CHANGES TO APPROACH BERTH S-17. 0957 MOORED
 PORT SIDE TO ~~BERTH~~ ^{YTB-761} USS DELIVER (ARS-23) AT BERTH S-17,
 U.S. NAVAL SUBMARINE BASE, PEARL HARBOR, HAWAII WITH
 STANDARD MOORING LINES. 1004 SECURED THE SPECIAL SEA
 AND ANCHOR DETAIL, SET THE REGULAR IN PORT WATCH.
 1031 Made daily inspection of magazines and smokeless powder samples;
 Conditions: normal. 1050 In pursuant to BuPers Order 150472 of 14 June 1962
 Ch Mach W-2 J.D. Hollis, USN reported aboard for duty as Engineering Officer.

J.D. Hollis
 LTJG USN

12-16 Moored as before

R.L. Walker
 LTJG USN

16-20 Moored as before 1800 Set Condition Yoke Throughout the ship

R.L. Walker
 LTJG USN

20-24 Moored as before.

R.L. Walker
 LTJG USN

APPROVED:

C. Reed Lt.

U.S.N. COMMANDING

EXAMINED:

R.L. Walker LTJG

U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI ATF-96 ZONE DESCRIPTION F10 DATE Tuesday 13 November, 19 62
(Day) (Date) (Month)
AT/PASSAGE FROM Pearl Harbor, Hawaii TO _____

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISI- BIL- ITY (Miles)	WEATH- ER (Sym- bols)	BAROM- ETER (Inches)	TEMPER- ATURE		CLOUDS			SEA WATER TEMPER- ATURE	WAVES	
	DIREC- TION (True)	SPEED (knots)				Dry bulb	Wet bulb	Amount (Tenths)	Height	Type		DIREC- TION (True)	HEIGHT (Feet)
01	010	4	3	ScT	30.02	75	72	3	1050	CU			
02	010	4	3	ScT	30.02	75	72	2	1050	CU			
03	005	3	3	ScT	30.04	74	72	2	700	CU			
04	005	3	3	BKN	30.04	75	72	5	1050	CU			
05	005	3	3	BKN	29.98	76	74	5	700	CU			
06	005	3	4	BKN	29.99	75	75	5	0	CU			
07	015	3	6	ScT	29.99	76	75	3	350	CU			
08	015	4	7	ScT	29.99	78	76	3	700	CU			
09	015	5	7	ScT	30.00	80	78	4	700	CU			
10	015	7	7	ScT	30.02	83	80	4	1050	CU			
11	015	7	7	ScT	30.03	84	81	4	1050	CU			
12	020	8	7	ScT	30.02	86	83	4	1050	CU			
13	030	11	7	ScT	30.01	86	77	3	3150	CU			
14	030	7	7	BKN	29.99	88	80	6	2800	CU			
15	030	7	7	BKN	29.96	88	80	6	2800	CU			
16	030	7	7	BKN	29.96	85	80	6	1750	CU			
17	030	7	7	BKN	29.98	83	80	6	1050	CU			
18	030	6	7	BKN	29.98	81	80	7	350	SC			
19	035	7	6	ScT	30.00	79	78	5	350	CU			
20	040	6	6	ScT	30.01	78	78	5	0	CU			
21	045	5	6	ScT	30.02	77	76	4	350	CU			
22	045	4	6	ScT	30.02	76	75	4	350	CU			
23	045	4	6	ScT	30.04	76	74	4	700	CU			
24	045	3	6	ScT	30.04	77	76	4	350	CU			

POSITION	ZONE	TIME
0800		
L _____	BY _____	
λ _____	BY _____	
1200		
L _____	BY _____	
λ _____	BY _____	
2000		
L _____	BY _____	
λ _____	BY _____	

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA	
FROM _____	(Date)
(ZT)	
TO _____	(Date)
(ZT)	
SET _____	
DRIFT _____	
POSITION BETWEEN FIXES	
MID. L _____	
MID. λ _____	

MILES STEAMED
0000-2400

FUEL CONSUMED
0000-2400

370

REMARKS

00-04 Moved port side to USS Deliver (ARL-23) at berth D-17
U.S. Naval Station, Pearl Harbor, Hawaii with Standard morning lines
doubled. Material Condition Yoke is set throughout the ship.
Receiving fresh water and telephone services from the pier. Ships
present include units of the U.S. Pacific Fleet, and various yard and
district craft. SOPA is Com-Pac Flt.

A. L. Walker
LTJG USN

04-08 Moved as before. 0745 Mustered the crew at quarters;
Absentees: none.

A. L. Walker
LTJG USN

APPROVED:

C. C. Reed

U.S.N. COMMANDING

EXAMINED:

A. L. Walker

U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP

ABNAKI (ATF-96)

TUESDAY 13 NOVEMBER, 62
(Day) (Date) (Month)

08-12 MOORED AS BEFORE. 0830 MADE DAILY INSPECTION OF
MAGAZINES AND SMOKELESS POWDER SAMPLES. CONDITIONS NORMAL
1025 BREASTED OUT TO ALLOW USS DELIVERER TO GET UNDERWAY
1036 USS DELIVERER (ARS-23) UNDERWAY. 1040 MOORED PORT SIDE
TO IN BERTH SIERRA SEVENTEEN-AFT WITH STANDARD MOORING
LINES DOUBLED 1053 STARTED TAKING ON FUEL. DRAFT 14'6" FWD
14'9" AFT.

LE Horton
Enr USN

12-16. MOORED AS BEFORE 1248 SECURED TAKING ON FUEL
DRAFT 13'6" FWD 16'6" AFT

LE Horton
Enr USN

16-20 MOORED AS BEFORE 1800 SET CONDITION YAKE
THRU OUT THE SHIP.

LE Horton
Enr USN

20-24 MOORED AS BEFORE

LE Horton
Enr USN

APPROVED:

C. C. Reed Lt

U.S.N. COMMANDING

EXAMINED:

R. L. Walker Ltjg

U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

ISS ABNARI (ATF-96) ZONE DESCRIPTION +10 DATE WEDNESDAY 14 NOVEMBER, 19 62
(Day) (Date) (Month)
AT/PASSAGE FROM PEARL HARBOR, HAWAII TO _____

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISI-BIL-ITY (Miles)	WEATH-ER (Sym-bols)	BAROM-ETER (Inches)	TEMPER-ATURE		CLOUDS			SEA WATER TEMPER-ATURE	WAVES	
	DIREC-TION (True)	SPEED (knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIREC-TION (True)	HEIGHT (Feet)
01	045	3	6	SET	30.04	77	74	4	1050	CU			
02	045	3	6	SET	30.04	77	74	4	1050	CU			
03	045	3	6	SET	30.03	76	73	4	1050	CU			
04	045	3	6	SET	30.03	76	73	3	1050	CU			
05	045	3	6	SET	30.03	76	73	3	1050	CU			
06	045	3	6	SET	30.03	76	73	2	1050	CU			
07	045	3	7	SET	30.03	76	73	4	1050	CU			
08	050	5	7	SET	30.03	79	73	4	2100	CU			
09	050	7	7	SET	30.03	81	74	4	2450	CU			
10	050	7	7	SET	30.04	84	75	5	3150	CU			
11	050	7	7	SET	30.03	85	75	4	3500	CU			
12	060	7	7	SET	30.00	87	76	4	3850	CU			
13	060	7	7	SET	30.00	87	76	4	3850	CU			
14	060	5	7	SET	29.97	86	77	4	3150	CU			
15	060	8	7	SET	29.97	84	77	4	2450	CU			
16	045	7	7	SET	29.99	85	78	4	2450	CU			
17	045	2	7	SET	29.99	84	77	4	2450	CU			
18	045	3	7	SET	29.98	80	76	5	1400	CU			
19	045	2	7	SET	29.99	79	76	2	1050	CU			
20	045	3	6	SET	30.00	77	74	2	1050	CU			
21	045	3	6	SET	30.01	76	73	2	1050	CU			
22	045	2	6	SET	30.01	76	73	2	1050	CU			
23	045	2	6	SET	30.01	76	73	2	1050	CU			
24	045	2	6	SET	30.01	74	71	2	1050	CU			

POSITION	ZONE	TIME
0800		
L _____	BY _____	
λ _____	BY _____	
1200		
L _____	BY _____	
λ _____	BY _____	
2000		
L _____	BY _____	
λ _____	BY _____	

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA	
FROM _____	(ZT) (Date)
TO _____	(ZT) (Date)
SET _____	
DRIFT _____	
POSITION BETWEEN FIXES	
MID. L _____	
MID. λ _____	

MILES STEAMED 0000-2400
5.1

FUEL CONSUMED 0000-2400
100

REMARKS

ΦΦ-Φ4 MOORED PORT SIDE TO IN BERTH SIERRA SEVENTEEN
US NAVAL SUBMARINE BASE, PEARL HARBOR, HAWAII. WITH STANDARD
MOORING LINES DOUBLED. RECEIVING FRESH WATER, ELECTRIC POWER
AND TELEPHONE SERVICE FROM THE PIER. MATERIAL CONDITION YOKE
SET THRU OUT THE SHIP. SHIPS PRESENT INCLUDE VARIOUS UNITS
OF US PACIFIC FLEET, YARD AND DISTRICT CRAFT SOPA IS CINCPAC FLT.

LE Horton
Ensign USN

Φ4-Φ8 MOORED AS BEFORE. Φ445 MUSTERED CREW AT QUARTERS.
ABSENTEES NONE

LE Horton
Ensign USN

APPROVED:

C. C. Reed Lt.

U.S.N. COMMANDING

EXAMINED:

Ch. L. Walker Ltjg

U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPER 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ARNARI (ATF-96)WEDNESDAY 14 NOVEMBER, 1962
(Day) (Date) (Month)

08-12: MOORED AS BEFORE. 0820 COMMENCED MAKING PREPARATIONS FOR GETTING UNDERWAY. 0830 SET THE SPECIAL SEA AND ANCHOR DETAIL. 0840 WHILE ASSISTING IN ALIGNMENT OF ROLLER-CHOCK ON FANTAIL WITH CHAIN PULLY, WOOD, LARRY LYN, 597-35-00, ^{USN} SA, USN RECEIVED LACERATION AND CONTUSION TO TIP OF THIRD FINGER, LEFT HAND WHEN HE JAMMED HIS FINGER IN THE CHAIN PULLY; NOT DUE TO HIS OWN MISCONDUCT. TREATMENT ADMINISTERED BY MEDICAL REPRESENTATIVE. DISPOSITION: RETURNED TO DUTY. 0852 UNDERWAY IN ORDER TO SHIFT BERTHS IN ACCORDANCE WITH TELEPHONE CONVERSATION WITH PEARL HARBOR CONTROL. CAPTAIN AND NAVIGATOR ON THE BRIDGE; CAPTAIN HAS THE CONN. DRAFT FORWARD 13'9", AFT 16'6", COMMENCED STEERING VARIOUS COURSES AT VARIOUS SPEEDS TO CLEAR BERTH AND CONFORM WITH PEARL HARBOR CHANNEL. 0858 LT JG WALKER RELIEVED THE CAPTAIN OF THE CONN. 0917 COMMENCED MANEUVERING ON VARIOUS COURSES AND SPEEDS TO APPROACH BERTH GD-4. 0937 LET GO PORT ANCHOR TO SHORT STAY IN ORDER TO SWING SHIP INTO POSITION AT BERTH GD-4. 10 FATHOMS OF CHAIN TO THE PORT ANCHOR. 0939 MOORED STARBOARD SIDE TO BERTH GD-4, U.S. NAVAL SHIPYARD, PEARL HARBOR, HAWAII WITH 4 STANDARD MOORING LINES DOUBLED. 1000 SECURED THE SPECIAL SEA AND ANCHOR DETAIL. 1040 MADE DAILY INSPECTIONS OF MAGAZINES AND SMOKELESS POWDER SAMPLES; CONDITIONS NORMAL.

J. L. Walker, ENS, USNR

12-16: MOORED AS BEFORE.

J. L. Walker, ENS, USNR

16-20: MOORED AS BEFORE. 1735 CALLED AWAY THE DUTY RESCUE AND ASSISTANCE PARTY TO THE PIER TO ASSIST, IF NEEDED, IN FIGHTING A FIRE ABOARD U.S.S. SARGO (SSN-583). ASSISTANCE NOT REQUIRED. MUSTERED RESCUE AND ASSISTANCE PARTY; ABSENTEES NONE. 1800 SET MATERIAL CONDITION YOKO.

J. L. Walker, ENS, USNR

20-24: MOORED AS BEFORE.

J. L. Walker, ENS, USNR

APPROVED:

EXAMINED:

C. C. Reed Lt

U.S.N. COMMANDING

J. L. Walker Ltjg

U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +10 DATE THURSDAY 15 NOVEMBER, 1962
(Day) (Date) (Month)
AT/PASSAGE FROM PEARL HARBOR, HAWAII TO _____

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	350	4	6	SET	30.01	75	72	2	1050	CU			
02	345	10	6	SET	30.01	73	70	2	1050	CU			
03	305	8	6	SET	30.00	73	70	2	1050	CU			
04	040	4	6	SET	30.00	73	70	2	1050	CU			
05	040	3	6	SET	30.00	73	70	3	1050	CU			
06	040	2	6	SET	30.00	73	70	2	1050	CU			
07	040	2	7	SET	30.01	73	70	3	1050	CU			
08	040	1	7	SET	30.02	75	72	3	1050	CU			
09	0	0	7	SET	30.04	79	74	3	1750	CU			
10	0	0	7	SET	30.04	80	74	3	2100	CU			
11	050	3	7	SET	30.03	81	74	4	2450	CU			
12	050	5	7	BKN	30.02	82	74	6	2800	CU			
13	050	8	7	BKN	30.01	81	74	8	2450	CU			
14	050	8	7	BKN	29.99	83	75	7	2800	CU			
15	050	6	7	BKN	29.98	83	74	8	3150	CU			
16	030	7	7	BKN	29.98	85	75	8	3500	CU			
17	050	7	7	BKN	30.01	82	76	7	2100	CU			
18	040	8	7	BKN	30.01	79	72	5	2450	CU			
19	015	5	6	SET	30.01	77	72	3	1750	CU			
20	015	5	6	SET	30.02	77	72	5	1750	CU			
21	010	4	6	SET	30.02	76	72	4	1400	CU			
22	010	4	6	SET	30.03	75	72	4	1050	CU			
23	010	4	6	SET	30.04	75	72	4	1050	CU			
24	010	4	6	SET	30.04	75	72	4	1050	CU			

POSITION	ZONE	TIME
0800		
L _____	BY _____	
λ _____	BY _____	
1200		
L _____	BY _____	
λ _____	BY _____	
2000		
L _____	BY _____	
λ _____	BY _____	

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA	
FROM _____	(ZT) (Date)
TO _____	(ZT) (Date)
SET _____	
DRIFT _____	
POSITION BETWEEN FIXES	
MID. L _____	
MID. λ _____	

MILES STEAMED 0000-2400

FUEL CONSUMED 0000-2400
193

REMARKS

00-04: MOORED STARBOARD SIDE TO BERTH GD-4, U.S. NAVAL SHIPYARD, PEARL HARBOR, HAWAII, WITH STANDARD MOORING LINES DOUBLED. MATERIAL CONDITION YOKE IS SET. RECEIVING FRESH WATER, STEAM, ELECTRICAL POWER AND TELEPHONE SERVICES FROM THE PIER. SHIPS PRESENT INCLUDE VARIOUS UNITS OF THE U.S. PACIFIC FLEET, YARD AND DISTRICT CRAFT. SOPA IS CINCPAC FLT.

H. C. Johnson, ENS, USN

04-08: MOORED AS BEFORE. 0745 MUSTERED THE CREW AT QUARTERS; ABSENTEES NONE.

H. C. Johnson, ENS, USN

APPROVED:

C. B. Reed Lt.

U.S.N. COMMANDING

EXAMINED:

C. L. Walker LtJG

U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96)Thursday 15 November 62
(Day) (Date) (Month) 19

08-12 moored as before; 1000 made daily inspection of magazines and smokeless powder samples, conditions normal.

J.L. Hollis, CWO-2

12-16 moored as before:

J.L. Hollis, CWO-2.

16-20 moored as before; 1800 ft material condition yoke, second deck and below.

J.L. Hollis, ~~JL~~ CWO-2 ~~xxx~~

20-24 moored as before:

J.L. Hollis, CWO-2

APPROVED:

C.C. Reed Lt.

U.S.N. COMMANDING

EXAMINED:

L.H. Walker Lt.

U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ARNAKI (ATF-96) ZONE DESCRIPTION +10 DATE FRIDAY 16 NOVEMBER, 19 69
(Day) (Date) (Month)
AT/PASSAGE FROM PEARL HARBOR, HAWAII TO _____

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISI- BIL- ITY (Miles)	WEATH- ER (Sym- bols)	BAROM- ETER (Inches)	TEMPER- ATURE		CLOUDS			SEA WATER TEMPER- ATURE	WAVES	
	DIREC- TION (True)	SPEED (knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIREC- TION (True)	HEIGHT (Feet)
01	010	4	6	SET	30.04	74	71	2	1050	CU			
02	010	4	6	SET	30.03	74	71	2	1050	CU			
03	010	4	6	SET	30.02	74	71	2	1050	CU			
04	030	1	6	SET	30.01	75	71	3	1400	CU			
05	015	6	6	BKN	30.01	75	70	6	1750	CU			
06	020	5	7	BKN	30.01	75	70	7	1750	AC			
07	070	2	7	SET	30.00	76	70	5	2100	AC			
08	050	8	7	SET	30.00	78	71	3	2450	CU			
09	100	10	7	SET	30.00	80	73	4	2450	CU			
10	110	10	7	SET	30.01	83	74	4	3150	CU			
11	120	10	7	SET	30.02	85	76	4	3150	CU			
12	115	10	7	SET	30.01	85	77	5	2800	CU			
13	055	10	7	BKN	30.00	86	77	6	3150	CU			
14	060	10	7	BKN	30.00	85	77	6	2800	CU			
15	060	8	7	BKN	30.00	85	77	6	2800	CU			
16	060	8	7	BKN	29.99	83	76	7	2450	CU			
17	065	7	7	BKN	29.99	82	76	7	2100	CU			
18	065	7	7	BKN	29.99	80	76	7	1400	CU			
19	065	4	7	BKN	30.02	77	74	8	1050	CU			
20	055	4	6	BKN	30.02	77	74	7	1050	CU			
21	055	4	6	BKN	30.02	76	73	7	1050	CU			
22	055	4	6	BKN	30.02	76	73	7	1050	CU			
23	050	5	6	BKN	30.02	76	73	6	1050	CU			
24	055	6	6	BKN	30.02	76	73	6	1050	CU			

POSITION	ZONE	TIME
0800		
L _____	BY _____	
λ _____	BY _____	
1200		
L _____	BY _____	
λ _____	BY _____	
2000		
L _____	BY _____	
λ _____	BY _____	

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA	
FROM _____	(ZT) (Date)
TO _____	(ZT) (Date)
SET _____	
DRIFT _____	
POSITION BETWEEN FIXES	
MID. L _____	
MID. λ _____	

MILES STEAMED
0000-2400

FUEL CONSUMED
0000-2400

25

REMARKS

00-04 moored Starboard side to Butth Golf Delta Four, using four standard mooring lines doubled up, Spring lay tripped on position Four (W). Receiving the following services from the pier, Fresh Water, Fire & Flushing Water, Shore power, Steam and Telephone. Ships present include various units of the U.S. Pacific Fleet and District and yard craft. SOPA is Cinc pac 716.

Jul. Hollis, CWO-2

04-08 moored as before: 0745 mustered the crew at Quarters, unauthorized absentees: None.

Jul. Hollis, CWO-2

APPROVED:

C. Reed Lt.

U.S.N. COMMANDING

EXAMINED:

C. L. Walker Ltjg

U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKE (ATF-96)

Friday 16 November, 1962
(Day) (Date) (Month)

08-12 Moved as before. 1400 Made daily inspection of magazines and smokeless powder samples; Condition: normal. Made weekly test of magazine sprinkling system; Condition: satisfactory.

R. L. Walker
LTJG USN

12-16 Moved as before.

R. L. Walker
LTJG USN

16-20 Moved as before. 1800 Set Material Condition Yoke throughout the ship.

R. L. Walker
LTJG USN

20-24 Moved as before.

R. L. Walker
LTJG USN

APPROVED:

C. C. Reed Lt.

U.S.N. COMMANDING

EXAMINED:

R. L. Walker LTJG

U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION H10 DATE Saturday 17 November, 19 62
(Day) (Date) (Month)

AT/PASSAGE FROM Pearl Harbor, Hawaii TO _____

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	055	2	6	BKN	30.02	76	73	6	1050	CU			
02	055	2	6	BKN	30.02	76	73	6	1050	CU			
03	055	2	6	SET	30.02	76	73	5	1050	CU			
04	055	4	6	SET	30.01	75	72	5	1050	CU			
05	060	4	6	SET	30.01	75	72	4	1050	CU			
06	060	4	6	SET	30.01	76	73	4	1050	CU			
07	060	4	7	SET	30.00	76	72	4	1400	CU			
08	080	6	7	BKN	30.01	80	75	6	2450	AC			
09	080	5	7	BKN	30.02	80	75	7	2450	AC			
10	080	5	7	BKN	30.03	80	72	8	2500	CI			
11	070	4	7	BKN	30.03	81	72	8	3150	CC			
12	070	6	7	BKN	30.02	83	73	8	3500	CC			
13	065	6	7	BKN	30.02	84	73	7	3850	CC			
14	060	7	7	BKN	30.01	85	74	8	3850	CI			
15	050	7	7	BKN	30.01	85	74	7	3850	CI			
16	045	6	7	BKN	30.00	85	73	7	3500	CC			
17	045	4	7	BKN	29.99	84	74	7	3500	CC			
18	040	4	7	BKN	29.98	82	73	6	3150	CC			
19	045	4	7	BKN	29.97	79	73	6	2160	AC			
20	045	5	6	SET	29.96	78	73	5	1750	CU			
21	050	3	6	SET	29.97	77	73	4	1460	CU			
22	045	3	6	SET	29.98	76	72	4	1400	CU			
23	050	2	6	SET	29.98	76	72	3	1400	CU			
24	050	2	6	SET	29.99	76	72	3	1400	CU			

POSITION	ZONE	TIME
0800		
L _____	BY _____	
λ _____	BY _____	
1200		
L _____	BY _____	
λ _____	BY _____	
2000		
L _____	BY _____	
λ _____	BY _____	

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA
FROM _____ (ZT) _____ (Date)
TO _____ (ZT) _____ (Date)
SET _____
DRIFT _____
POSITION BETWEEN FIXES
MID. L _____
MID. λ _____

MILES STEAMED
0000-2400

FUEL CONSUMED
0000-2400

REMARKS

06-04 Moved starboard side to berth GD-4 U.S. Naval Station, Pearl Harbor, Hawaii with standard mooring line doubled and 6 parts of springline at 2 and 3. Material Condition Yoke is set throughout the ship. Receiving fresh water, steam, electric power, fire and flushing water and telephone service from the pier. Ships present include units of the U.S. Pacific Fleet and various yard and district craft. SOPA in Cinc Pac Flt.

B.L. Walker
LTJG USN

04-08 moved as before. 0745 Mustered the crew on station;
N Whiter: ~~Ann~~ Bowen, G.C., 427-03-93, SFP2, USN and Brown, J.L., 547-16-30,
N FN, USN, VA from 0730, 17 Nov 1962.

B.L. Walker
LTJG USN

APPROVED:

EXAMINED:

C.C. Reed Lt.

U.S.N. COMMANDING

B.L. Walker LTJG

U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPER 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP

AGNAKI (ATF-96)

SATURDAY 17 NOVEMBER, 1962
(Day) (Date) (Month)08-12 MOORED AS BEFORE 1020 MADE DAILY INSPECTION OF
MAGAZINES AND SMOKELESS POWDER SAMPLES. CONDITIONS NORMALJ E Horton
ENS USN

12-16 MOORED AS BEFORE

J E Horton
ENS USN16-20 MOORED AS BEFORE 1840 SET MATERIAL CONDITION
VOICE TERN OUT THE SHIP.J E Horton
ENS USN20-24 MOORED AS BEFORE 2117 PURSUANT TO BUPERS MSG
101651Z JULY 1962 CWO(W-2) JONN E. NAFFEY 619350/7432 WAS
DETACHED FROM THIS SHIP WITH ORDERS TO REPORT TO U.S. NAVAL
TRAINING CENTER, GREAT LAKES ILLINOIS. FOR DUTY.J E Horton
ENS USN.

APPROVED:

C C Reed Lt.

U.S.N. COMMANDING

EXAMINED:

R. L. Walker Lt. JG

U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAK ATF96 ZONE DESCRIPTION +10 DATE Sunday 18 November 19 62
 AT/PASSAGE FROM PEARL HARBOR HAWAII TO _____

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISI-BIL-ITY (Miles)	WEATH-ER (Sym-bols)	BAROM-ETER (Inches)	TEMPER-ATURE		CLOUDS			SEA WATER TEMPER-ATURE	WAVES	
	DIREC-TION (True)	SPEED (knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIREC-TION (True)	HEIGHT (Feet)
01	050	2	6	SET	29.99	76	72	3	1400	CU			
02	050	2	6	SET	29.99	76	72	3	1400	CU			
03	050	2	6	SET	29.98	76	72	4	1400	CU			
04	050	3	6	SET	29.98	76	72	5	1400	CU			
05	050	3	6	BKN	29.98	76	72	6	1400	CU			
06	050	2	6	BKN	29.99	77	73	6	1400	CU			
07	050	2	7	BKN	29.98	77	73	6	1400	CU			
08	050	4	7	BKN	29.98	80	73	7	2450	CU			
09	050	6	7	BKN	29.99	82	74	7	2800	CU			
10	050	5	7	BKN	30.00	85	74	6	3850	CC			
11	055	6	7	BKN	30.00	85	74	6	3850	CC			
12	060	11	7	BKN	30.00	85	75	7	3500	CC			
13	045	14	7	BKN	29.98	85	75	7	3500	CC			
14	080	11	7	BKN	29.98	86	75	7	3850	CC			
15	015	7	7	BKN	29.96	85	75	6	3500	CC			
16	015	5	7	SET	29.97	85	74	5	3850	CC			
17	015	5	7	SET	29.98	84	74	5	3500	CC			
18	085	3	7	SET	29.98	83	74	4	3150	CU			
19	030	3	7	SET	29.99	80	74	2	2100	CU			
20	035	2	7	SET	30.00	79	74	2	1750	CU			
21	045	1	7	SET	30.00	78	74	2	1400	CU			
22	045	1	6	SET	30.00	78	73	3	1750	CU			
23	045	1	6	SET	30.00	78	74	3	1400	CU			
24	045	2	6	SET	30.00	78	74	3	1400	CU			

POSITION	ZONE	TIME
0800		
L _____	BY _____	
λ _____	BY _____	
1200		
L _____	BY _____	
λ _____	BY _____	
2000		
L _____	BY _____	
λ _____	BY _____	

LEGEND: 1 - CELESTIAL
 2 - ELECTRONIC
 3 - VISUAL
 4 - D. R.

CURRENT DATA
FROM _____ (ZT) _____ (Date)
TO _____ (ZT) _____ (Date)
SET _____
DRIFT _____
POSITION BETWEEN FIXES
MID. L _____
MID. λ _____

MILES STEAMED 0000-2400

FUEL CONSUMED 0000-2400

REMARKS

ΦΦ-Φ4 MOORED STBD. SIDE TO IN BERTH GD-4 US NAVAL SHIPYARD, PEARL HARBOR, HAWAII WITH STANDARD MOORING LINES DOUBLED. CONDITION YOKE SET THRU OUT THE SHIP. RECEIVING STEAM, ELECTRICAL POWER, FRESH WATER AND TELEPHONE SERVICE FROM THE PIER. SHIPS PRESENT INCLUDE VARIOUS UNITS OF U.S. PACIFIC FLEET, YARD AND DISTRICT CRAFT. SOPA IS CINC PAC FLT.
 N Φ13Φ Bowen, C.G., 427-03-93, JEP2, USN and Brown JL 0547-14-30, FN, USN reported aboard after being VA since 0730 this date 17 November, 1962. LE Horton
Enr USN.

Φ4-Φ8 MOORED AS BEFORE.

LE Horton
Enr USN.

APPROVED:

CC Brad Lt. U.S.N. COMMANDING

EXAMINED:

G. L. Walker LtJG U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP

ABNAH (ATF-96)

SUNDAY 18 NOVEMBER 1962
(Day) (Date) (Month)

08-12: MOORED AS BEFORE. 0800 MUSTERED THE CREW ON STATIONS; ABSENTEES NONE. 1100: MADE DAILY INSPECTIONS OF MAGAZINES AND SMOKELESS POWDER SAMPLES; CONDITIONS NORMAL.

A. J. Swan, ENS, USNR

12-16: MOORED AS BEFORE.

A. J. Swan, ENS, USNR

16-20: MOORED AS BEFORE. SET MATERIAL CONDITION YOK.

A. J. Swan, ENS, USNR

20-24: MOORED AS BEFORE.

A. J. Swan, ENS, USNR

APPROVED:

C. C. Reed Lt.

U.S.N. COMMANDING

EXAMINED:

A. L. Walker LHS6

U.S.N. NAVIGATOR

U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

 UNITED STATES SHIP ABNAKI ATF-96 Monday 19 NOV- 1962
 (Day) (Date) (Month)

08-12 moored as before. @0950 set the Special Sea and Anchor detail, Captain and Navigator on the Bridge. 0955 Pilot Capt. Taylor came aboard and took the conn. 0958 YTB 762 and NS 15 came alongside to port. 1008 underway with tugs, shifting berth, authority. Verbal orders from port control, lead plant. 1019 Rendred Honors to USS Arizona memorial. 1020 Tugs cast off and made up on starboard side. 1039 moored port side to berth Bravo 10 USNSG, Pitt. 1045 Tugs cast off. 1047 Capt. Taylor departed from ship. 1049 Stowed Special Sea and Anchor detail, began taking on Shore power, Fresh Water, Fire & Flushing Water, Shore steam and Telephone service. 1125 made daily inspection of magazines and smokes powder samples, conditions normal.

Jul. Hollis, CWO-2

12-16 moored as before:

Jul. Hollis, CWO-2

16-20 moored as before: 1800 set condition yoke through out the ship.

Jul. Hollis, CWO-2

20-24 moored as before:

Jul. Hollis, CWO-2

APPROVED:

C. Reed Lt.

U.S.N. COMMANDING

EXAMINED:

L. H. Walker Ltjg

U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +10W DATE Tuesday 20 Nov. 19 62
(Day) (Date) (Month)
AT/PASSAGE FROM Pearl Harbor, Hawaii TO _____

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISI-BIL-ITY (Miles)	WEATH-ER (Sym-bols)	BAROM-ETER (Inches)	TEMPER-ATURE		CLOUDS			SEA WATER TEMPER-ATURE	WAVES	
	DIREC-TION (True)	SPEED (knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIREC-TION (True)	HEIGHT (Feet)
01	050	3	6	BKN	30.03	76	73	6	1050	CU			
02	050	3	6	BKN	30.03	76	73	6	1050	CU			
03	050	3	6	BKN	30.03	75	72	6	1050	CU			
04	050	3	6	BKN	30.03	75	72	6	1050	CU			
05	050	3	6	BKN	30.03	75	72	6	1050	CU			
06	050	3	6	BKN	30.03	75	71	6	1400	CU			
07	050	4	7	BKN	30.04	75	71	6	1400	CU			
08	050	4	7	SET	30.04	79	73	4	2100	CU			
09	050	5	7	SET	30.03	80	74	4	2100	CU			
10	050	5	7	SET	30.02	80	74	4	2100	CU			
11	050	5	7	SET	30.02	80	74	4	2100	CU			
12	050	5	7	SET	30.02	80	74	4	2100	CU			
13	050	5	7	SET	30.02	81	72	4	3150	CU			
14	050	7	7	SET	30.00	82	72	3	3500	CU			
15	050	7	7	SET	30.00	80	72	3	2800	CU			
16	050	7	7	SET	30.00	79	72	4	2450	CU			
17	050	9	7	SET	30.00	77	72	5	1750	CU			
18	055	7	7	SET	29.99	77	72	4	1750	CU			
19	055	6	7	SET	30.01	77	73	4	1400	CU			
20	055	4	6	SET	30.03	77	73	4	1400	CU			
21	060	4	6	SET	30.04	77	73	3	1400	CU			
22	060	3	6	SET	30.05	76	73	3	1050	CU			
23	060	4	6	SET	30.05	76	73	3	1050	CU			
24	060	4	6	SET	30.05	76	73	3	1050	CU			

POSITION	ZONE	TIME
0800		
L _____	BY _____	
λ _____	BY _____	
1200		
L _____	BY _____	
λ _____	BY _____	
2000		
L _____	BY _____	
λ _____	BY _____	

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA	
FROM _____	(Date)
(ZT)	
TO _____	(Date)
(ZT)	
SET _____	
DRIFT _____	
POSITION BETWEEN FIXES	
MID. L _____	
MID. λ _____	

MILES STEAMED
0000-2400

FUEL CONSUMED
0000-2400

REMARKS

00-04 moored port side to Berth Bravo 10, U.S. Naval Station, Pearl Harbor, Hawaii with standard mooring doubled. Receiving fresh water, steam, electric power, fire and flushing water and telephone services from the 204 pier. Material condition set through out the ship. Ships present include units of the U.S. Pacific Fleet and various yard & district craft. SOPA is CinCPac Flt.

J. C. Hollis, CWO-2

04-08 moored as before. 0735 mustered the crew at Quarters. absentees: none.

J. C. Hollis, CWO-2

APPROVED:

EXAMINED:

C. C. Reed Lt.

U.S.N. COMMANDING

R. L. Walker Lt.

U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKS (ATF-96)Tuesday 20 November, 1962
(Day) (Date) (Month)

08-12 Moved on before. 0820 made daily inspection of magazine and emulsion powder sample. Conditions: normal. 0826 Captain Trulon, accompanied by members of his staff came on board and commenced on board inspection.

R. L. Walker
LTJG USN

12-16 Moved on before.

R. L. Walker
LTJG USN

16-20 Moved on before. 1622 Captain Trulon and inspecting party completed by board inspection and departed ship. 1800 Set Material Condition Yell throughout the ship.

R. L. Walker
LTJG USN

20-24 Moved on before.

R. L. Walker
LTJG USN

APPROVED:

C. C. Reed Lt.

U.S.N. COMMANDING

EXAMINED:

R. L. Walker LTJG

U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION HIO DATE Wednesday 21 November, 19 62
(Day) (Date) (Month)

AT/PASSAGE FROM Pearl Harbor, Hawaii TO _____

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	060	4	6	SET	30.05	76	73	3	1050	CU			
02	060	3	6	SET	30.05	75	72	3	1050	CU			
03	060	3	6	SET	30.05	75	72	3	1050	CU			
04	060	3	6	SET	30.05	75	72	4	1050	CU			
05	060	2	6	SET	30.05	75	72	4	1050	CU			
06	055	3	6	SET	30.04	76	72	3	1400	CU			
07	055	3	7	SET	30.04	78	71	3	2450	CU			
08	050	4	7	SET	30.04	79	71	3	2800	CU			
09	050	5	7	SET	30.05	79	72	4	2450	CU			
10	050	7	7	SET	30.06	80	71	4	3150	CU			
11	050	6	7	SET	30.07	80	71	4	3150	CU			
12	050	6	7	SET	30.06	79	74	4	1750	CU			
13	050	12	7	SET	30.05	78	70	4	2800	CU			
14	050	9	7	SET	30.03	78	70	3	2800	CU			
15	050	12	7	SET	30.02	78	70	4	2800	CU			
16	050	10	7	SET	30.02	78	70	4	2800	CU			
17	050	6	7	SET	30.03	79	70	4	2450	CU			
18	050	6	7	SET	30.04	79	70	4	2450	CU			
19	050	5	6	SET	30.05	79	70	4	2450	CU			
20	050	6	6	BKN	30.06	76	70	6	2100	CU			
21	050	9	6	BKN	30.08	76	71	8	1750	CU			
22	050	4	6	BKN	30.08	76	72	7	1400	CU			
23	050	6	6	SET	30.09	76	72	5	1400	CU			
24	050	6	6	SET	30.09	76	72	5	1400	CU			

POSITION ZONE TIME

0800
L _____ BY _____
λ _____ BY _____

1200
L _____ BY _____
λ _____ BY _____

2000
L _____ BY _____
λ _____ BY _____

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM _____ (ZT) _____ (Date)
TO _____ (ZT) _____ (Date)

SET _____
DRIFT _____

POSITION BETWEEN FIXES

MID. L _____
MID. λ _____

MILES STEAMED 0000-2400

FUEL CONSUMED 0000-2400

REMARKS

0604 Moved port side to berth B-10 at U.S. Naval Station Pearl Harbor Hawaii with standard mooring line doubled. Receiving fresh water, steam, fire and flushing water, electrical power, and telephone service from the pier. Material Condition Yoke is set throughout the ship. Ships present include units of the 2d Pacific Fleet, and various yard and district craft. POPA in CinCPac Flt.

B. L. Walker
LTJG USN

0708 Moved as before 0745 Mustered the crew at quarters; Absentees: none.

B. L. Walker
LTJG USN

APPROVED:

EXAMINED:

C. C. Reed Lt. U.S.N. COMMANDING

B. L. Walker LTJG U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI ATF-96 Wednesday 21 November 62
(Day) (Date) (Month)

08-12 MOORED AS BEFORE. 0920 MADE DAILY INSPECTION
OF MAGAZINES AND SMOKELESS POWDER SAMPLES. CONDITIONS
NORMAL.

L. E. Horton
ENS USN

12-16 MOORED AS BEFORE. 1312 INACCORDANCE WITH
BUPERS ORDERS 17064 ENS. ROBERT M. TURNER REPORTED
ABOARD FOR DUTY

L. E. Horton
ENS USN

16-20 MOORED AS BEFORE. 1800 SET MATERIAL CONDITION
YOKE THRU OUT THE SHIP.

L. E. Horton
ENS USN

20-24 MOORED AS BEFORE.

L. E. Horton
ENS USN

APPROVED:

C. C. Reed Lt.

U.S.N. COMMANDING

EXAMINED:

D. L. Walker LtJG

U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI ATF-96 ZONE DESCRIPTION +10 DATE THURSDAY 23 NOVEMBER, 19 62
(Day) (Date) (Month)
AT/PASSAGE FROM PEARL HARBOR, HAWAII TO _____

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISI-BIL-ITY (Miles)	WEATH-ER (Sym-bols)	BAROM-ETER (Inches)	TEMPER-ATURE		CLOUDS			SEA WATER TEMPER-ATURE	WAVES	
	DIREC-TION (True)	SPEED (knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIREC-TION (True)	HEIGHT (Feet)
01	050	6	6	SET	30.08	76	72	2	1400	CU			
02	050	6	6	SET	30.08	76	72	2	1400	CU			
03	050	6	6	SET	30.09	76	72	1	1400	CU			
04	050	6	6	SET	30.07	75	72	2	1050	CU			
05	050	6	6	SET	30.07	75	72	2	1050	CU			
06	050	8	6	SET	30.07	76	72	3	1400	CU			
07	050	8	6	SET	30.07	77	72	3	1750	CU			
08	050	8	7	SET	30.07	78	72	3	2100	CU			
09	055	8	7	SET	30.07	78	71	3	2450	CU			
10	055	8	7	SET	30.08	79	71	3	2800	CU			
11	055	8	7	SET	30.08	79	71	3	2800	CU			
12	055	10	7	SET	30.08	79	71	4	2800	CU			
13	055	10	7	SET	30.07	79	71	4	2800	CU			
14	055	8	7	SET	30.05	78	71	4	2450	CU			
15	055	8	7	BKN	30.05	76	70	6	2100	CU			
16	055	8	7	BKN	30.05	75	70	8	1750	CU			
17	055	5	7	h	30.05	73	70	10	1050	ST			
18	055	5	7	h	30.05	72	69	10	1050	ST			
19	050	5	6	SET	30.08	72	69	4	1050	SC			
20	050	5	6	SET	30.08	72	69	4	1050	SC			
21	050	4	6	SET	30.09	72	69	4	1050	CU			
22	050	4	6	SET	30.09	74	70	4	1400	CU			
23	050	4	6	SET	30.09	74	70	4	1400	CU			
24	050	3	6	SET	30.08	74	70	4	1400	CU			

POSITION	ZONE	TIME
0800		
L _____	BY _____	
λ _____	BY _____	
1200		
L _____	BY _____	
λ _____	BY _____	
2000		
L _____	BY _____	
λ _____	BY _____	

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA	
FROM _____	(ZT) _____ (Date) _____
TO _____	(ZT) _____ (Date) _____
SET _____	
DRIFT _____	
POSITION BETWEEN FIXES	
MID. L _____	
MID. λ _____	

MILES STEAMED 0000-2400

FUEL CONSUMED 0000-2400

REMARKS

ΦΦ-Φ4 MOORED PORT SIDE TO IN BERTH BRAVO-10
PEARL HARBOR NAVAL SHIPYARD, PEARL HARBOR, HAWAII
WITH STANDARD MOORING LINES DOUBLED. CONDITION YOKE
SET THRU OUT THE SHIP. RECEIVING STEAM, ELECTRICAL POWER,
FRESH WATER, AND TELEPHONE SERVICE FROM THE PIER. SHIPS
PRESENT INCLUDE. VARIOUS UNITS OF US PACIFIC FLEET, YARD,
AND DISTRICT CRAFT. SOPA IS CINC PACFLT.

LE Horton
Ensign USN

Φ4-Φ8 MOORED AS BEFORE.

LE Horton
Ensign USN

APPROVED:

CC Reed Lt

U.S.N. COMMANDING

EXAMINED:

CL Walker Ltjg

U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPER 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAH (ATF-96)

THURSDAY 22 NOVEMBER 62
(Day) (Date) (Month)

~~08-12~~: MOORED AS BEFORE. ~~0800~~ MUSTERED THE CREW ON STATIONS; ABSENTEES NONE. ~~1100~~ MADE DAILY INSPECTIONS OF MAGAZINES AND SMOKELESS POWDER SAMPLES; CONDITIONS NORMAL.

At Swan, ENS, USNR

~~12-16~~: MOORED AS BEFORE.

At Swan, ENS, USNR

~~16-20~~: MOORED AS BEFORE. ~~1800~~ SET MATERIAL CONDITION YOK.

At Swan, ENS, USNR

~~20-24~~: MOORED AS BEFORE.

At Swan, ENS, USNR

APPROVED:

CC Reed Lt.

U.S.N. COMMANDING

EXAMINED:

L. J. Walker LtJG

U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION 410 DATE FRIDAY 23 NOVEMBER 19 62
 AT/PASSAGE FROM PEARL HARBOR, HAWAII TO _____

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	050	3	6	SET	30.08	75	70	3	1750	CU			
02	050	2	6	SET	30.08	75	70	3	1750	CU			
03	050	2	6	SET	30.08	74	70	4	1400	CU			
04	050	3	6	SET	30.08	74	70	4	1400	CU			
05	050	4	6	SET	30.08	74	69	4	1750	CU			
06	050	2	6	SET	30.08	74	69	5	1750	CU			
07	050	5	7	1	30.08	75	70	9	1750	SC			
08	050	4	7	SET	30.10	75	71	5	1400	SC			
09	050	5	7	SET	30.14	76	71	5	1750	CU			
10	050	9	7	SET	30.14	79	73	5	2100	CU			
11	055	6	7	SET	30.12	80	73	4	2450	CU			
12	055	4	7	SET	30.11	80	73	4	2450	CU			
13	055	4	7	SET	30.08	80	72	3	2800	CU			
14	060	2	7	SET	30.06	80	72	3	2800	CU			
15	060	5	7	SET	30.03	79	72	3	2450	CU			
16	060	5	7	SET	30.03	79	72	3	2450	CU			
17	060	4	7	SET	30.04	78	72	4	2100	CU			
18	060	4	7	SET	30.05	78	72	4	2100	CU			
19	050	3	6	SET	30.05	77	72	3	1750	CU			
20	050	3	6	SET	30.06	76	72	3	1400	CU			
21	050	2	6	SET	30.09	76	71	2	1750	CU			
22	050	2	6	SET	30.09	75	71	2	1400	CU			
23	050	2	6	SET	30.08	75	71	2	1400	CU			
24	050	2	6	SET	30.08	75	71	2	1400	CU			

POSITION ZONE TIME

0800
 L _____ BY _____
 λ _____ BY _____

1200
 L _____ BY _____
 λ _____ BY _____

2000
 L _____ BY _____
 λ _____ BY _____

LEGEND: 1 - CELESTIAL
 2 - ELECTRONIC
 3 - VISUAL
 4 - D. R.

CURRENT DATA

FROM _____ (ZT) _____ (Date)
 TO _____ (ZT) _____ (Date)

SET _____
 DRIFT _____

POSITION BETWEEN FIXES

MID. L _____
 MID. λ _____

MILES STEAMED 0000-2400

FUEL CONSUMED 0000-2400

REMARKS

00-04: MOORED PORT SIDE TO BERTH B-10, U.S. NAVAL SHIPYARD, PEARL HARBOR, HAWAII WITH STANDARD MOORING LINES DOUBLED. MATERIAL CONDITION YOKE IS SET. RECEIVING FRESH WATER, STEAM, ELECTRICAL POWER AND TELEPHONE SERVICES FROM THE PIER. SHIPS PRESENT INCLUDE VARIOUS UNITS OF THE U.S. PACIFIC FLEET, YARD AND DISTRICT CRAFT. SOPA IS CINCPACFLT.

[Signature] ENS, USNR

04-08: MOORED AS BEFORE. 0745 MUSTERED THE CREW AT QUARTERS; ABSENTEES NONE.

[Signature] ENS, USNR

APPROVED:

[Signature]

U.S.N. COMMANDING

EXAMINED:

[Signature]

U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96)FRIDAY 23 November, 1967
(Day) (Date) (Month)

08-12 moored as before: 0915 GIBSON, William H., Departed
 Ship on nine (9) days. 1150 Made daily inspection
 of magazines & smokes powder samples, and tested
 made weekly test of magazine flooding principle system.
 all test and inspections, normal conditions.

J. L. Hollis, CWO-2

12-16 moored as before:

J. L. Hollis, CWO-2

16-20 moored as before: 1800 set material
 Condition Yoke.

J. L. Hollis, CWO-2

20-24 moored as before:

J. L. Hollis, CWO-2

APPROVED:

C. C. Reed Lt

U.S.N. COMMANDING

EXAMINED:

L. L. Walker Ltjg

U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +10W DATE Saturday 24 November, 19 62
(Day) (Date) (Month)
AT/PASSAGE FROM PEARL HARBOR, HAWAII TO _____

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISI- BIL- ITY (Miles)	WEATH- ER (Sym- bols)	BAROM- ETER (Inches)	TEMPER- ATURE		CLOUDS			SEA WATER TEMPER- ATURE	WAVES	
	DIREC- TION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIREC- TION (True)	HEIGHT (Feet)
01	050	3	6	SET	30.08	75	71	3	1400	CU			
02	050	2	6	SET	30.08	74	71	3	1050	CU			
03	050	2	6	SET	30.08	74	71	3	1050	CU			
04	050	2	6	SET	30.08	74	71	3	1050	CU			
05	050	3	6	SET	30.07	74	71	4	1050	CU			
06	050	3	6	SET	30.07	75	71	4	1400	CU			
07	050	3	7	SET	30.08	75	72	4	1050	CU			
08	050	4	7	SET	30.10	78	72	4	2100	CU			
09	050	2	7	SET	30.11	79	72	4	2450	CU			
10	050	4	7	SET	30.12	79	72	3	2450	CU			
11	050	4	7	SET	30.12	81	72	3	3150	CU			
12	050	6	7	SET	30.11	81	72	3	3150	CU			
13	050	7	7	SET	30.10	82	72	3	3500	CU			
14	055	6	7	SET	30.08	79	72	4	2450	CU			
15	055	6	7	SET	30.07	78	71	4	2450	CU			
16	055	7	7	SET	30.08	78	71	3	2450	CU			
17	055	6	7	SET	30.08	77	71	3	2100	CU			
18	055	6	7	SET	30.07	76	71	4	1750	CU			
19	050	7	6	SET	30.07	76	70	3	2100	CU			
20	050	4	6	SET	30.09	76	70	3	2100	CU			
21	050	3	6	SET	30.09	75	70	2	1750	CU			
22	050	3	6	SET	30.08	75	70	2	1750	CU			
23	050	3	6	SET	30.07	75	70	2	1750	CU			
24	050	3	6	SET	30.10	74	70	2	1400	CU			

POSITION	ZONE	TIME
0800		
L _____	BY _____	
λ _____	BY _____	
1200		
L _____	BY _____	
λ _____	BY _____	
2000		
L _____	BY _____	
λ _____	BY _____	

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA	
FROM _____	(ZT) (Date)
TO _____	(ZT) (Date)
SET _____	
DRIFT _____	
POSITION BETWEEN FIXES	
MID. L _____	
MID. λ _____	

MILES STEAMED
0000-2400

FUEL CONSUMED
0000-2400

REMARKS

00-04 moored port side to Bravo Ten (01). US Naval Station, Pearl Harbor, Hawaii using four (4) standard mooring lines double. Receiving fresh water, fire and flushing water, steam, electric power and telephone services from the pier. Ships present include various units of the U.S. Pacific Fleet District and yard craft. S.O.P.A. is CinCpacFLT. Condition Yoke set, second deck & below.

J. D. Hollis, LWO-2

04-08 moored as before; 0745 mustered the crew on stations. ~~Unauthorized~~ Absentees: None.

J. D. Hollis, LWO-2

APPROVED:

EXAMINED:

C. C. Reed Lt.

U.S.N. COMMANDING

A. L. Walker Ltjg

U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP

ABNAKI (ATF-96)

Saturday 24 November 62
(Day) (Date) (Month) 19

08-12 Moored as before. 0830 Made daily inspection of magazines and explosives powder samples. Condition: normal. 1000 Commenced Captain's Personnel Inspection. 1010 Secured from Captain's Personnel Inspection.

R. L. Walker
LTJG USN

12-16 Moored as before.

R. L. Walker
LTJG USN

16-20 Moored as before. 1800 Set material condition yoke throughout the ship.

R. L. Walker
LTJG USN

20-24 Moored as before.

R. L. Walker
LTJG USN

APPROVED:

EXAMINED:

C. C. Reed Lt

U.S.N. COMMANDING

R. L. Walker LTJG

U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

ISS ABNAKE (ATF 96)

ZONE DESCRIPTION

410

DATE Sunday 25 November, 19 62

(Day)

(Date)

(Month)

AT/PASSAGE FROM Pearl Harbor, Hawaii

TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	050	2	6	SET	30.10	74	70	3	1400	CU			
02	050	2	6	SET	30.11	74	70	3	1400	CU			
03	050	3	6	SET	30.10	74	70	3	1400	CU			
04	050	3	6	SET	30.10	75	71	3	1400	CU			
05	050	2	6	SET	30.10	74	71	3	1050	CU			
06	050	3	6	SET	30.10	74	71	3	1050	CU			
07	050	1	7	SET	30.10	75	71	3	1400	CU			
08	050	3	7	SET	30.11	76	71	3	1750	CU			
09	050	3	7	SET	30.11	77	71	4	2100	CU			
10	050	5	7	SET	30.11	78	71	4	2450	CU			
11	050	8	7	SET	30.12	80	72	3	2800	CU			
12	050	8	7	SET	30.11	80	72	3	2800	CU			
13	050	8	7	SET	30.10	79	72	3	2450	CU			
14	050	8	7	SET	30.09	78	72	2	2100	CU			
15	050	7	7	SET	30.08	77	71	2	2100	CU			
16	050	8	7	SET	30.07	77	71	2	2100	CU			
17	050	10	7	SET	30.07	76	71	3	1750	CU			
18	050	7	7	SET	30.07	76	71	3	1750	CU			
19	050	5	6	SET	30.08	75	70	4	1750	CU			
20	050	5	6	SET	30.08	75	70	4	1750	CU			
21	050	4	6	SET	30.08	75	70	3	1750	CU			
22	050	5	6	SET	30.08	75	70	3	1750	CU			
23	050	4	6	SET	30.09	76	70	3	2100	CU			
24	050	4	6	SET	30.10	76	70	3	2100	CU			

POSITION

ZONE

TIME

0800

L _____ BY _____

λ _____ BY _____

1200

L _____ BY _____

λ _____ BY _____

2000

L _____ BY _____

λ _____ BY _____

LEGEND:

1 - CELESTIAL

2 - ELECTRONIC

3 - VISUAL

4 - D. R.

CURRENT DATA

FROM _____ (ZT) (Date)

TO _____ (ZT) (Date)

SET _____

DRIFT _____

POSITION BETWEEN FIXES

MID. L _____

MID. λ _____

MILES STEAMED

0000-2400

—

FUEL CONSUMED

0000-2400

50

REMARKS

00-04 Moved port side to berth B-10 at U. S. Naval Station, Pearl Harbor, Hawaii with standard moving lines doubled. Material Condition Yoke set throughout the ship. Receiving fresh water, fire and flushing water, steam, electrical power and telephone services from the pier. Ships present include units of the U. S. Pacific Fleet and various yard and district craft. JOSA in Com RAN For Pac.

Signature

LTJG USN

04-08 Moved as before.

Signature

LTJG USN

APPROVED:

Signature

U.S.N. COMMANDING

EXAMINED:

Signature

U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAIKI (ATF 96)SUNDAY 25 NOVEMBER, 1962
(Day) (Date) (Month)

08-12 MOORED AS BEFORE. 0800 MUSTERED CREW ON STATIONS ABSENTEES NONE. 0830 MADE DAILY INSPECTION OF MAGAZINES AND SMOKELESS POWDER SAMPLES CONDITIONS NORMAL. 0930 RECEIVED TARGET SLED ALONGSIDE.

J E Horton
En USN

12-16 MOORED AS BEFORE

J E Horton
En USN

16-20 MOORED AS BEFORE. 1800 SET MODIFIED CONDITION 1/0KE THRU OUT THE SHIP.

J E Horton
En USN

20-24 MOORED AS BEFORE

J E Horton
En USN

APPROVED:

C C Reed Lt

U.S.N. COMMANDING

EXAMINED:

R L Walker Ltjg

U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

ISS ADNAKI ATF 96 ZONE DESCRIPTION +10 DATE MONDAY 26 NOVEMBER, 19 62
 AT/PASSAGE FROM PEARL HARBOR, HAWAII TO _____

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISI-BIL-ITY (Miles)	WEATH-ER (Sym-bols)	BAROM-ETER (Inches)	TEMPER-ATURE		CLOUDS			SEA WATER TEMPER-ATURE	WAVES	
	DIREC-TION (True)	SPEED (knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIREC-TION (True)	HEIGHT (Feet)
01	050	3	6	SET	30.10	75	70	30.10	1750	CU			
02	050	3	6	SET	30.10	75	70	30.10	1750	CU			
03	050	3	6	BKN	30.10	74	70	30.10	1400	CU			
04	050	3	6	BKN	30.10	74	70	30.10	1400	CU			
05	050	4	6	OVC	30.10	73	70	30.10	1050	SC			
06	050	4	6	OVC	30.10	73	70	30.10	1050	SC			
07	050	3	7	OVC	30.10	74	70	30.10	1400	SC			
08	050	3	7	OVC	30.09	75	71	30.09	1400	SC			
09	050	5	7	BKN	30.09	77	71	30.09	2100	SC			
10	050	9	7	BKN	30.08	79	72	30.08	2450	SC			
11	050	12	7	SET	30.08	80	72	30.08	2800	CU			
12	050	17	7	SET	30.07	80	72	30.07	2800	CU			
13	050	15	7	BKN	30.07	80	72	30.07	2800	CU			
14	050	19	7	BKN	30.06	81	72	30.06	3150	CU			
15	050	23	7	BKN	30.05	82	72	30.05	3500	CU			
16	050	20	7	BKN	30.05	82	72	30.05	3500	CU			
17	050	17	7	BKN	30.06	80	72	30.06	2800	CU			
18	050	12	7	BKN	30.06	79	71	30.06	2800	CU			
19	050	11	6	BKN	30.07	77	71	30.07	2100	CU			
20	050	9	6	SET	30.07	76	71	30.07	1750	CU			
21	050	7	6	SET	30.08	75	70	30.08	1750	CU			
22	050	7	6	SET	30.08	74	70	30.08	1400	CU			
23	050	5	6	SET	30.09	74	70	30.09	1400	CU			
24	050	6	6	SET	30.09	74	70	30.09	1400	CU			

POSITION	ZONE	TIME
0800		
L _____	BY _____	
λ _____	BY _____	
1200		
L _____	BY _____	
λ _____	BY _____	
2000		
L _____	BY _____	
λ _____	BY _____	

LEGEND: 1 - CELESTIAL
 2 - ELECTRONIC
 3 - VISUAL
 4 - D. R.

CURRENT DATA	
FROM _____	(Date)
TO _____	(Date)
SET _____	
DRIFF _____	
POSITION BETWEEN FIXES	
MID. L _____	
MID. λ _____	

MILES STEAMED 0000-2400
102

FUEL CONSUMED 0000-2400
670

REMARKS

00-04 MOORED PORT SIDE TO IN BERTH BRAVO TEN U.S. NAVAL SHIP YARD, PEARL HARBOR HAWAII, WITH STANDARD MOORING LINES DOUBLED. RECEIVING FRESH WATER, STEAM, ELECTRICAL POWER AND TELEPHONE SERVICE FROM THE PIER. MODIFIED CONDITION YOKE SET TURN OUT THE SHIP. SHIP PRESENT INCLUDES VARIOUS UNITS OF U.S. PACIFIC FLEET AND VARIOUS YARD AND DISTRICT CRAFT. SOPA IS COMASW FOR PAC.

JE Horton
 Ens USN

04-08 MOORED AS BEFORE 0745 MUSTERED CREW AT QUARTERS; ABSENTEES; NONE.

JE Horton
 Ens USN

APPROVED: CC Reed Lt. U.S.N. COMMANDING EXAMINED: EL Walker LtJG U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNARI (ATF-96)MONDAY 26 NOVEMBER 1962
(Day) (Date) (Month)

08-17: MOORED AS BEFORE. 0810 SET SPECIAL SEA AND ANCHOR DETAIL. 0815 MADE DAILY INSPECTIONS OF MAGAZINES AND SMOKELESS POWDER SAMPLES; CONDITIONS NORMAL. 0824 CAST OFF S/40 TARGET SLED TO BE MOORED TO BERTH B-9. 0832 UNDERWAY IN ACCORDANCE WITH COMFLETRAGPAC OPORD 48-62, SHIFTING BERTHS FROM B-10 TO A-3. CAPTAIN AND NAVIGATOR ON THE BRIDGE. DRAFT FORWARD 13'11", AFT 16'0". COMMENCED STEERING VARIOUS COURSES AT VARIOUS SPEEDS TO CONFORM WITH PEARL HARBOR CHANNEL. BASE SPEED 8 KTS. 0857 PASSED ROWY 15 ABEAM TO STARBOARD; DISTANCE 150 FT. 0906 MANEUVERING, AT VARIOUS COURSES AND SPEEDS TO APPROACH BERTH A-3. 0918 MOORED STARBOARD SIDE TO BERTH A-3, U.S. NAVAL STATION, PEARL HARBOR, HAWAII WITH STANDARD MOORING LINES DOUBLED. 0926 SECURED SPECIAL SEA AND ANCHOR DETAIL. 0953 LET GO THE PORT ANCHOR UNDER FOOT TO PREVENT SURGING.

H. J. Swann, ENS, USNR

12-16: MOORED AS BEFORE.

H. J. Swann, ENS, USNR

16-20: MOORED AS BEFORE. 1800 SET MATERIAL CONDITION YORE.

H. J. Swann, ENS, USNR

20-24: MOORED AS BEFORE.

H. J. Swann, ENS, USNR

APPROVED:

C. Reed Lt

U.S.N. COMMANDING

EXAMINED:

J. P. H. 146

U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +10 DATE TUESDAY 27 NOVEMBER, 19 62
(Day) (Date) (Month)
AT/PASSAGE FROM PEARL HARBOR, HAWAII TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISI-BIL-ITY (Miles)	WEATH-ER (Sym-bols)	BAROM-ETER (Inches)	TEMPER-ATURE		CLOUDS			SEA WATER TEMPER-ATURE	WAVES	
	DIREC-TION (True)	SPEED (knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIREC-TION (True)	HEIGHT (Feet)
01	050	12	6	SET	30.09	75	71	4	1400	CU			
02	050	12	6	SET	30.10	74	71	4	1050	CU			
03	050	14	6	SET	30.09	74	71	4	1050	SC			
04	050	10	6	SET	30.09	74	71	4	1050	SC			
05	050	10	6	SET	30.08	75	72	4	1050	SC			
06	050	11	6	SET	30.08	76	73	4	1050	SC			
07	050	8	7	BNW	30.08	75	72	6	1050	SC			
08	050	8	7	BNW	30.09	76	73	7	1050	SC			
09	060	9	7	BNW	30.10	76	72	7	1400	SC	84	080	4
10	060	14	7	BNW	30.10	77	71	7	2100	CU	84	080	5
11	060	18	7	BNW	30.10	78	71	6	2450	CU	85	080	7
12	060	24	7	SET	30.07	77	71	5	2100	CU	85	080	6
13	060	26	7	SET	30.04	77	71	5	2100	CU	85	080	6
14	055	23	7	SET	30.03	77	71	4	2100	CU	85	080	6
15	055	23	7	SET	30.02	78	71	4	2450	CU	85	075	6
16	055	19	7	SET	30.03	80	72	4	2800	CU	85	075	5
17	055	15	7	SET	30.05	79	72	4	2450	CU	85	075	4
18	050	12	7	SET	30.06	78	71	3	2450	CU	85	075	3
19	050	10	6	SET	30.07	77	71	4	2100	CU			
20	050	8	6	SET	30.08	77	71	3	2100	CU			
21	050	6	6	SET	30.08	76	71	3	1750	CU			
22	050	5	6	SET	30.08	76	70	3	2100	CU			
23	050	7	6	SET	30.09	75	70	3	1750	CU			
24	050	8	6	SET	30.10	76	69	3	2450	CU			

POSITION	ZONE	TIME
0800		
L _____	BY _____	
λ _____	BY _____	
1200		
L _____	BY _____	
λ _____	BY _____	
2000		
L _____	BY _____	
λ _____	BY _____	

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA	
FROM _____	(ZT) (Date)
TO _____	(ZT) (Date)
SET _____	
DRIFT _____	
POSITION BETWEEN FIXES	
MID. L _____	
MID. λ _____	

MILES STEAMED
0000-2400

88.2

FUEL CONSUMED
0000-2400

622

REMARKS

00-04: MOORED STARBOARD SIDE TO BERTH A-3, U.S. NAVAL STATION, PEARL HARBOR, HAWAII WITH STANDARD MOORING LINES DOUBLED. MATERIAL CONDITION YOKE IS SET. RECEIVING FRESH WATER AND TELEPHONE SERVICES FROM THE PIER. SHIPS PRESENT INCLUDE VARIOUS UNITS OF THE U.S. PACIFIC FLEET, YARD AND DISTRICT CRAFT. SOPA IS COMASWFORPAC.

W. K. Swann, ENS, USNR

04-08: MOORED AS BEFORE. 0745 MUSTERED THE CREW AT QUARTERS; ABSENTEES NONE. 0750 COMMENCED MAKING PREPARATIONS FOR GETTING UNDERWAY. 0755 SET THE SPECIAL SEA AND ANCHOR DETAIL.

W. K. Swann, ENS, USNR

APPROVED:

EXAMINED:

C. C. Reed Lt. U.S.N. COMMANDING

W. K. Swann Lt. U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) Tuesday 27 NOV 1962
(Day) (Date) (Month)

08-12 moored as before; 0810 underway IAW FLETRG 08-01 order 48-62 to local op-area. Captain and Navigator on the Bridge - steering various courses and speeds for safe navigation of harbor. 0831 passed between Bong's #1 + 2. 0835 C/S 7.5 RPM. 0836 C/S 110° PGC. 0838 DeBorne 13 mi took the Conn. and Deck. 0844 Ensign ^{JOH} Turner has the Conn. 0845 commenced steering various courses & speeds, Calibrating magnetic compass. 1011 secured from calibrating magnetic compass C/S 9.5 Kts. C/S 094° PGC. 1052 C/S 13.3 Kts. 1104 made daily inspection of magazines & ammunitions powder samples, conditions normal. 1125 C/S 080 PGC. 1129 C/S 12.3 Kts. 1131 C/S 50 RPM. 1151 C/S 9.5 Kts. 1155 C/S 12.3 Kts.

J. D. Hollis, CWO-2 USN

12-16 Underway as before; 1223 C/S 3.3 Kts. 1235 C/S 7.5 RPM C/S 260° PGC. 1238 C/S 6.7 Kts. 1239 C/S 3.3 Kts. 1300 C/S 5 Kts. C/S 200° PGC. Commenced exercise Z-4-00 with USS Lipan (ATF-85), USS Macdonough (ATF-105) and USCGC ^{JOH} plain planctree (WAGL-307) Base course 090° ~~PGC~~ PGC. Base speed 7 Kts. 1346 CWO Hollis took the Conn & Deck. 1359 Completed exercise Z-4-00. C/S ^{JOH} 12.3 Kts C/S 240° PGC. 1405 C/S 280° ^{JOH} PGC. 1410 C/S 14.3 Kts. C/S 13.3 Kts. 1430 C/S 312° PGC. 1437 C/S 325° PGC. 1440 commenced steering various courses & speeds for exercise Z-6-S, Services for USS Lipan (ATF-85). 1510 tow wire of USS Lipan (ATF-85) aboard & secured. 1531 Tow wire cast off. 1536 manoeuvring to take USS Lipan (ATF-85) in tow. 1557 Tow wire aboard Lipan (ATF-85) - 1559 ^{JOH} broke tow from Lipan (ATF-85) ~~to~~

J. D. Hollis, CWO-2 USN

16-20 Underway as before, C/S ^{12.3 Kts} 1602 C/S 13.3 Kts. C/S 200° PGC. 1604 completed exercise Z-6-S. 1608 C/S 210° PGC. ^{JOH} 1614 began exercise Z-4-0, steering various courses & speeds in conformance with (OTC, (USS, WILTSIE (DD-716)) USS Wiltsie (DD-716), and USCGC - plain tree (W-307). Base speed 8 Kts. 1741 ~~turned to~~ ^{JOH} running lights. 1758 completed exercise Z-6-0. 1800 C/S 7.5 RPM. 1801 entered inland waters. Course 270° PGC. 1802 C/S 3.3 Kts. 1804 C/S 9.5 Kts. 1805 C/S 12.3 Kts. 1808 ~~J. D. Hollis CWO-2 USN~~ ^{JOH} C/S 350° PGC. 1809 C/S 9.5 Kts. 1811 C/S 6 Kts. 1812 commenced steering ^{JOH} 20-24 underway as before, various courses & speeds to enter Pearl Harbor channel. 1814 passed between Bong's 1 + 2 1838 moored starboard side to Berth Alfa 3 US NAUSTA, Pearl Harbor, 700 STD mooring lines doubled. Condition yoke set through out the ship.

J. D. Hollis, CWO-2, USN

20-24 moored as before:

J. D. Hollis, CWO-2, USN

APPROVED:

C. C. Reed Lt.

U.S.N. COMMANDING

EXAMINED:

D. L. Walker LTJG

U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +10W DATE Wednesday 28 Nov- 19 62
(Day) (Date) (Month)
AT/PASSAGE FROM Pearl Harbor, Hawaii TO _____

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISI- BIL- ITY (Miles)	WEATH- ER (Sym- bols)	BAROM- ETER (Inches)	TEMPER- ATURE		CLOUDS			SEA WATER TEMPER- ATURE	WAVES	
	DIREC- TION (True)	SPEED (knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIREC- TION (True)	HEIGHT (Feet)
01	050	7	6	SET	30.07	75	68	3	2450	CU			
02	050	7	6	SET	30.06	75	69	4	2100	CU			
03	050	6	6	SET	30.06	75	68	4	2450	CU			
04	050	9	6	SET	30.04	75	68	4	2450	CU			
05	050	11	6	SET	30.04	75	68	2	2450	CU			
06	050	10	6	SET	30.04	75	68	3	2450	CU			
07	050	4	7	BKN	30.06	73	68	6	1750	CU			
08	050	4	7	SET	30.06	77	69	4	2800	CU			
09	050	5	7	SET	30.08	80	76	3	1400	CU			
10	050	6	7	SET	30.09	80	76	3	1400	CU	85	065	5
11	050	8	7	SET	30.09	79	74	4	1750	CU	85	065	5
12	050	23	7	SET	30.06	77	73	4	1400	CU	85	065	5
13	060	18	7	SET	30.03	77	73	4	1400	CU	85	075	5
14	075	20	7	SET	30.03	78	72	4	2100	CU	85	085	5
15	085	21	7	BKN	30.03	79	73	6	2100	CU	85	085	6
16	080	21	7	BKN	30.00	80	74	6	2100	CU	85	085	6
17	075	22	7	SET	30.01	80	73	5	2450	CU	85	085	6
18	060	20	7	SET	30.03	79	74	5	1750	CU	85	080	4
19	055	19	6	SET	30.04	79	74	4	1750	CU			
20	055	18	6	SET	30.05	78	74	4	1400	CU			
21	050	15	6	SET	30.06	77	73	3	1400	CU			
22	050	11	6	SET	30.06	77	73	4	1400	CU			
23	050	9	6	SET	30.07	76	73	3	1050	CU			
24	050	9	6	SET	30.07	76	73	3	1050	CU			

POSITION	ZONE	TIME
0800		
L _____	BY _____	
λ _____	BY _____	
1200		
L <u>21-03N</u>	BY <u>3</u>	
λ <u>158-04W</u>	BY <u>3</u>	
2000		
L _____	BY _____	
λ _____	BY _____	

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA	
FROM _____	(Date)
TO _____	(Date)
SET _____	
DRIFT _____	
POSITION BETWEEN FIXES	
MID. L _____	
MID. λ _____	

MILES STEAMED
0000-2400

104.2

FUEL CONSUMED
0000-2400

1090

REMARKS

00-04 moved starboard side to Alpha Thru (3) sleep
U.S. Naval Station Pearl Harbor, Hawaii, with four (4) sidrop &
messing lines doubled. Receiving telephone service from the dock.
#1 SSG, furnishing ship's electrical power. Material condition
yoke set throughout the ship. Ships present include various
units of the U.S. Pacific Fleet, district and yard craft. S.O.P.A.
is Com ASW for poc.

J.L. Walker, CWO-2-USN

04-08 moved as before; 0745 mustered the crew at
N Quarters. Unauthorized absentees: None.

J.L. Walker, CWO-2-USN

APPROVED:

C. Reed Lt.

U.S.N. COMMANDING

EXAMINED:

J.L. Walker Lt.

U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAK (ATF-96)

Wednesday 28 November 1962
(Day) (Date) (Month)

08-12 moored as before. 0820 made daily inspection of magazines and smokeless powder samples; Condition: normal. 0930 set the Special Sea and Anchor Detail. 0952 UNDERWAY IN ACCORDANCE WITH COMELECTRAGRU OPORD 4B-62. CAPTAIN AND NAVIGATOR ON THE BRIDGE. TOWING S/YO TARGET SLED. DRAFT FORWARD 16'6", AFT 13'6". COMMENCED MANEUVERING AT VARIOUS COURSES AND SPEEDS TO CONFORM WITH PEARL HARBOR CHANNEL. 1015 STREAMED TARGET TO 900 FEET. 1022: PASSED BOW #1 ABEAM TO STARBOARD; DISTANCE 200 FT. 1024: C/O 200°. 1027 C/S 11.3 KTS. 1028 SECURED SPECIAL SEA AND ANCHOR DETAIL. 1034 C/S 13.3 KTS.

[Signature] ENS, USNR

12-16 underway as before 1248 C/O 245° 1259 C/O 180° 1303 C/O 12.3 kts 100 RPM 1308 C/S 10.1 kts 1306 C/O 1308 C/S 8.9 kts 1318 C/O 7.7 kts 1320 C/O 6.0 kts 1323 C/O 4.5 kts 1340 commenced fire 1341 hipan ceased fire 1343 C/O 55 RPM C/S 62 RPM 1401 1403 vss lipan commenced fire 1408 vss lipan ceased fire 1411 vss lipan ceased fire 1414 C/O 45 RPM 1415 C/O 45° 1422 C/O 53 RPM 1427 commenced exercise Z-27-G with vss lipan (ATF 85) 1437 commenced fire 1440 lipan ceased fire 1444 completed Z-27-G with vss lipan (ATF 85) 1445 C/O 90 RPM C/S 80 RPM 1448 C/O 4.3 kts 1452 C/O 100 RPM 12.3 kts

C. E. Mann Bm1

16-20

UNDERWAY AS BEFORE 1635 C/O 045° 1659 C/O 050° 1731 C/O 045° 1754 C/S 75 RPM COMMENCED HEAVING IN TARGET 1755 C/S 75 RPM 1803 RADAR IN STAND BY DUE TO LOSS OF BOTH CRYSTALS 1812 C/S 60 RPM 1813 C/O 330° STATION SPECIAL SEA & ANCHOR DETAIL TARGET AT 600 FEET 1816 SHIFTED MOTOR CONTROL TO THE BRIDGE 1818 C/O 330° 1822 C/O 332 1823 MANEUVERING AT VARIOUS SPEEDS ON VARIOUS COURSES TO CONFORM WITH PEARL HARBOR CHANNEL 1827 COMMENCED HEAVING TARGET TO 300 FEET 1831 HEAVING TARGET TO 150 FEET 1835 TARGET AT 150 FEET 1838 HEAVING TARGET UP TO STERN 1842 TARGET SNUBED TO STERN 1844 MANEUVERING AT VARIOUS SPEEDS ON VARIOUS COURSES IN APPROACHING BERTH ALPHA FIVE 1853 MOORED PORT SIDE TO BERTH ALPHA FIVE PEARL HARBOR, HAWAII WITH TARGET S-YO SLED WAS SPLIT THREE QUARTERS INTO STARTING FROM STARBOARD SIDE AT MIDDLE OF SLED RUNNING AHEAD SHIPS 1903 SECURED SPECIAL SEA & ANCHOR DETAIL SET IN PORT WATCH

J. H. DeLoe Bm1

20-24 moored as before.

[Signature]
LTJG USN

APPROVED:

EXAMINED:

C. C. Reed Lt

U.S.N. COMMANDING

[Signature] LTJG

U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION H/O DATE Thursday 29 November, 19 62
(Day) (Date) (Month)
AT/PASSAGE FROM Pearl Harbor, Hawaii TO _____

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	050	5	6	BKN	30.04	75	72	6	1050	CU			
02	060	5	6	BKN	30.05	74	71	6	1050	CU			
03	060	6	6	BKN	30.05	73	70	7	1050	CU			
04	060	6	6	BKN	30.06	74	71	7	1050	CU			
05	060	6	6	BKN	30.06	76	71	7	1750	CU			
06	060	6	6	BKN	30.07	77	72	7	1750	CU			
07	060	7	7	BKN	30.08	78	71	6	2450	CU			
08	060	7	7	BKN	30.09	79	70	6	3150	CU			
09	060	7	7	BKN	30.09	79	70	6	3150	CU			
10	060	8	7	BKN	30.09	80	71	6	3150	CU			
11	060	18	7	BKN	30.06	78	73	8	1750	CU	85	085	4
12	065	18	7	BKN	30.05	78	74	8	1400	CU	85	085	4
13	070	19	7	BKN	30.04	78	74	8	1400	CU	85	085	4
14	075	17	7	BKN	30.04	78	73	7	1750	CU			
15	075	17	7	BKN	30.03	79	73	7	2100	CU			
16	070	15	7	BKN	30.04	81	72	6	3150	CU			
17	070	11	7	SET	30.04	80	72	5	2800	CU			
18	065	9	7	SET	30.05	79	72	5	2450	CU			
19	060	9	7	SET	30.05	79	72	5	2450	CU			
20	060	6	6	SET	30.05	78	71	4	2450	CU			
21	055	4	6	SET	30.06	78	72	4	2100	CU			
22	055	3	6	SET	30.06	77	72	3	1750	CU			
23	055	4	6	SET	30.06	76	72	3	1400	CU			
24	055	3	6	SET	30.06	76	72	3	1400	CU			

POSITION	ZONE	TIME
0800		
L _____	BY _____	
λ _____	BY _____	
1200		
L <u>21-10N</u>	BY <u>3</u>	
λ <u>158-00.5W</u>	BY <u>3</u>	
2000		
L _____	BY _____	
λ _____	BY _____	

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA	
FROM _____	(Date)
TO _____	(Date)
SET _____	
DRIFT _____	
POSITION BETWEEN FIXES	
MID. L _____	
MID. λ _____	

MILES STEAMED
0000-2400

37

FUEL CONSUMED
0000-2400

439

REMARKS

00-04 Moved portside to berth A-5, U.S. Naval Station, Pearl Harbor, Hawaii, with standard mooring line double. Target sled, No. 557 is moved to ABNAKI; painted with target tow wire and two 1" nylon line, double. Receiving fresh water and telephone service from the pier. Material Condition Yoke is ref throughout the ship. Ships present include units of the U.S. Pacific Fleet and various yard and district craft. SOPA is Com ABW For Pac.

R. L. Walker
LTJG USN

04-08 Moved as before. 0745 Mustered the crew at quarters; Absentees: none.

R. L. Walker
LTJG USN

APPROVED:

C. C. Reed Lt.

U.S.N. COMMANDING

EXAMINED:

R. L. Walker LTJG

U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABDARI (ATF 96)

THURSDAY 29 NOVEMBER, 1962
(Day) (Date) (Month)

Φ8-12 MOORED AS BEFORE. Φ8SS MADE DAILY INSPECTION OF MAGAZINES AND SMOKELESS POWDER SAMPLES CONDITIONS NORMAL 1ΦΦ5 SET SPECIAL SEA AND ANCHOR DETAIL. CAPTAIN AND NAVIGATOR ON THE BRIDGE. CWO. NOLLS HAS DECK AND CONN. 1010 Condition yoke set throughout the ship. 1015 toop sled size 5-40 from (LT-166) 1030 Underway in accordance with Flt. Tr. GRU. of ord. H8-62. Steering various courses and speeds for safe navigation of pearl harbor channel. 1105 passed Bouy #1 abeam to stbd. approximately 150 ft. 1107 ^{set} course 150°, speed 5.2 Kts. 1108 secured sea & anchor detail. 1109 C/S 9.5 Kts. 900 ft. wire out to sled. 1110 C/C 195°. 1113 C/S 11.3 Kts. 1115 C/S 12.3 Kts. 1116 entered International Waters. 1119 C/S 13.3 Kts.

J. R. Hollis, CWO-2 USN

12-16 UNDER WAY AS BEFORE 1201 L/110° RUDDER C/S 100 RPM 1202 L/15° RUDDER C/S 90 RPM 1204 RUDDER MIDSHIP 1205 L/100° RUDDER 1207 RUDDER MIDSHIP 1209 L/110° RUDDER STEADY 015° 1214 C/C 025° 1219 C/C 030° 1231 C/C 010° 1304 COMMENCED HEAVING TARGET TO 600 FEET. ^{Entered International Waters} SET SPECIAL SEA & ANCHOR DETAIL 1305 C/C ~~336°~~ 333° 1308 C/S 10.6 Kts. 1309 C/C 336° 1313 PASSED BOUY NUMBER (2) ABEAM STARBOARD 100 FEET. HEAVING IN TARGET TO 300 FEET C/C 337° 1317 MANEUVERING AT VARIOUS SPEEDS ON VARIOUS COURSES TO CONFORM WITH PEARL HARBOR CHANNEL 1319 HEAVING IN TARGET TO 100 FEET 1327 HEAVING TARGET IN TO SNUG TO STERN 1331 TARGET SNUBED TO STERN MANEUVERING AT VARIOUS SPEEDS ON VARIOUS COURSES TO MOORE AT ALPHA FIVE 1338 MOORED PORT SIDE TO ALPHA FIVE PEARL HARBOR HAWAII 1349 SECURED SPECIAL SEA & ANCHOR DETAIL SET IN PORT WATCH

J. R. Hollis, CWO-2 USN

16-2Φ MOORED AS BEFORE. 18ΦΦ SET MODIFIED CONDITION Yoke THRU OUT THE SHIP.

J. R. Hollis
CWO-2 USN

2Φ-24 MOORED AS BEFORE

J. R. Hollis
CWO-2 USN

APPROVED:

EXAMINED:

C. C. Reed Lt

U.S.N. COMMANDING

J. L. Walker Ltjg

U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI (ATF 96) ZONE DESCRIPTION 710 DATE FRIDAY 30 NOVEMBER, 19 62
(Day) (Date) (Month)
AT/PASSAGE FROM PEARL HARBOR, HAWAII TO _____

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISI- BIL- ITY (Miles)	WEATH- ER (Sym- bols)	BAROM- ETER (Inches)	TEMPER- ATURE		CLOUDS			SEA WATER TEMPER- ATURE	WAVES	
	DIREC- TION (True)	SPEED (knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIREC- TION (True)	HEIGHT (Feet)
01	050	3	6	SET	30.06	76	72	3	1400	CU			
02	050	3	6	SET	30.06	75	72	3	1050	CU			
03	050	4	6	SET	30.06	75	72	4	1050	CU			
04	050	4	6	SET	30.05	74	71	4	1050	CU			
05	050	4	6	SET	30.05	74	71	5	1050	CU			
06	050	6	6	BKN	30.04	73	70	6	1050	SC			
07	050	7	7	BKN	30.04	73	70	7	1050	SC			
08	050	8	7	BKN	30.05	75	71	8	1400	SC			
09	055	12	7	BKN	30.06	78	72	7	2100	SC	83	085	4
10	075	19	7	OK	30.06	77	73	9	1400	SC	83	085	4
11	075	20	7	BKN	30.06	77	73	8	1400	CU	83	085	4
12	060	20	7	BKN	30.03	77	73	8	1400	CU	83	080	4
13	060	15	7	BKN	30.01	77	72	7	1750	CU	83	075	4
14	060	12	7	OK	29.98	77	70	9	2450	CU	83	070	4
15	060	19	7	OK	29.97	77	70	9	2450	CU	83	070	4
16	065	18	7	BKN	29.97	78	71	8	2450	CU	83	070	4
17	065	18	7	BKN	29.99	78	71	8	2450	CU	83	070	4
18	065	15	7	BKN	30.01	77	71	7	2100	CU			
19	065	11	7	BKN	30.02	76	72	6	1400	CU			
20	060	8	6	SET	30.02	75	70	5	1750	CU			
21	060	5	6	SET	30.03	75	69	5	2100	CU			
22	060	4	6	SET	30.03	74	69	4	1750	CU			
23	060	4	6	SET	30.02	74	69	3	1750	CU			
24	060	4	6	SET	30.02	74	70	3	1400	CU			

POSITION	ZONE	TIME
0800		
L _____	BY _____	
λ _____	BY _____	
1200		
L <u>20-56.7N</u>	BY <u>2</u>	
λ <u>158-10.8W</u>	BY <u>2</u>	
2000		
L _____	BY _____	
λ _____	BY _____	

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA	
FROM _____	(Date)
(ZT)	(Date)
TO _____	(Date)
(ZT)	(Date)
SET _____	
DRIFT _____	
POSITION BETWEEN FIXES	
MID. L _____	
MID. λ _____	

MILES STEAMED
0000-2400

104.6

FUEL CONSUMED
0000-2400

1169

REMARKS

ΦΦ-Φ4 MOORED PORT SIDE TO IN BERTH ALPHA FIVE U.S. NAVAL STATION, PEARL HARBOR, HAWAII. WITH STANDARD MOORING LINES DOUBLED. RECEIVING FRESH WATER AND TELEPHONE SERVICE FROM THE PIER. SHIPS PRESENT INCLUDE VARIOUS UNITS OF U.S. PACIFIC FLEET, YARD AND DISTRICT CRAFT. SOPA IS COM ASW FOR PAC.

J E Norton
Enr USN

Φ4-Φ8 MOORED AS BEFORE. 0745 MUSTERED CREW AT QUARTERS ABSENTEES NONE.

J E Norton
Enr USN

APPROVED:

C. C. Reed Lt

U.S.N. COMMANDING

EXAMINED:

B. L. Walker Ltjg

U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP

ABNAKI ATF 96

Friday 30 November 62
(Day) (Date) (Month)

08-12 MOORED AS BEFORE. 0830 SET SPECIAL SEA AND ANCHOR DETAIL. CAPTAIN AND NAVIGATOR ON THE BRIDGE, ENS HORTON HAS CONN AND DECK. 0854 UNDERWAY FROM BERTH ALPHA FIVE JAN. FETRAGRU OP ORD 48-62 WITH TARGET SLED IN TOW TO GOLF TWO. 0855 MANEUVERING VARIOUS COURSES AND SPEEDS TO CLEAR BERTH ALPHA FIVE. 0901 STREAMED TARGET TO 100 FT. MANEUVERING VARIOUS COURSES AND SPEEDS TO CONFORM WITH PEARL HARBOR CHANNEL. 0914 STREAMED TARGET TO 300 FT. 0917 PASSED BOUY ONE ABEAM TO STB. APPROX 100 FT ON COURSE 150° SPEED 9.5 KNOTS. SECURED SPECIAL SEA AND ANCHOR DETAIL. 0922 C/S TO 10 KNOTS 1/2 TO 195° 0923 C/S TO 11.3 KNOTS 0927 C/S TO 13.3 KNOTS. 0929 ENTERED INTERNATIONAL WATERS 0940 STREAMED TARGET TO 800 FT. 1100 C/S TO 225° 1105 MADE DAILY INSPECTION OF MAGAZINES AND SMOKELESS POWDER SAMPLES. CONDITIONS NORMAL. MADE WEEKLY INSPECTION OF MAGAZINE SPRINKLER SYSTEM CONDITIONS NORMAL 1142 C/S TO 270° 1153 C/S TO 11.3 KNOTS. 1156 C/S TO 300° 1159 STREAMED TARGET TO 1500 FT.

LE Horton
ENS USN

12-16 UNDER WAY AS BEFORE c/s 1200 C/S 250° 1201 C/S 80 RPM 1202 C/S TO 8.9 KTS 1204 C/S 60 RPM 1205 C/S 45 RPM 1240 COMMENCED EXERCISE Z 216 WITH USC65 PLANE TREE (WAGL 307) 1250 COMMENCED FIRE 1254 CEASE FIRE 1305 COMMENCE FIRE 1310 CEASE FIRE COMPLETED EXERCISE Z 216 WITH USC65 PLANE TREE (WAGL 307) 1316 COMMENCED EXERCISE Z 276 WITH USC65 PLANE TREE (WAGL 307) 1317 COMMENCE FIRE 1320 CEASE FIRE COMPLETED EXERCISE Z-27-6 WITH USC65 PLANE TREE (WAGL 307) 1321 C/S 110° RUDDER C/S 55 RPM RUDDER MIDSHIP C/S 70 RPM 1323 C/S 215° 1324 C/S 80 RPM 1325 C/S 110° RUDDER C/S 60 RPM 1327 C/S 40 RPM RUDDER MIDSHIP 1328 C/S 110° RUDDER C/S 100 RPM 1336 C/S 110 RPM 1345 C/S 100 RPM 1400 COMMENCED COMMANDING OFFICER'S MATERIAL INSPECTION 1525 SECURE FROM COMMANDING OFFICER'S MATERIAL INSPECTION 1537 C/S 110° RUDDER C/S 032°

JWA DeLoe 13M1

16-20 under way as before 1610 Commanding Officer held meet and imposed non judicial punishment on fellows Broadcast Marine Keith 547-28-24 SN USN article 108 UCMJ Punishment 7 days Confinement in Naval Base brig at Pearl Harbor Hawaii commencing upon arrival. Quora Antonio A. 592-79-16 SN USN article 121 UCMJ Punishment 14 days extra duty on board USS Abnaki ATF 96 1632 C/S TO 025° 1655 C/S 10.1 KTS 1656 heaved Target into 900 feet 1659 C/S TO 7.7 KTS 1704 heaved Target into 300 feet 1709 C/S TO 333° 1712 entered inland waters 1716 C/S 10.1 KTS SET SEA DETAIL C/S 334° 1722 heaved boy 2 beam to star 1723 maneuvering on various courses and speeds to enter channel 1732 17146 Took sled in tow 1749 moved Port side to 022 1951 20-24: MOORED AS BEFORE.

CE Mann BMJ

W. K. Luman, ENS, USNA.

APPROVED:

CC Reed Lt.

U.S.N. COMMANDING

EXAMINED:

LE Walker 20K

U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION HIS DATE 11 (Day) 19 (Month) , 19 56 (Year)

AT/PASSAGE FROM _____ TO _____

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISI- BILI- TY (Miles)	WEATH- ER (Sym- bols)	BAROM- ETER (Inches)	TEMPER- ATURE		CLOUDS			SEA WATER TEMPER- ATURE	WAVES	
	DIREC- TION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIREC- TION (True)	HEIGHT (Feet)
01													
02													
03													
04													
05													
06													
07													
08													
09													
10													
11													
12													
13													
14													
15													
16													
17													
18													
19													
20													
21													
22													
23													
24													

POSITION	ZONE	TIME
0800		
L _____	BY _____	
λ _____	BY _____	
1200		
L _____	BY _____	
λ _____	BY _____	
2000		
L _____	BY _____	
λ _____	BY _____	

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA	
FROM _____	(ZT) _____ (Date) _____
TO _____	(ZT) _____ (Date) _____
SET _____	
DRIFT _____	
POSITION BETWEEN FIXES	
MID. L _____	
MID. λ _____	

MILES STEAMED 0000-2400

FUEL CONSUMED 0000-2400

REMARKS

APPROVED:

EXAMINED:

U.S.N. COMMANDING

U.S.N. NAVIGATOR